

SALT POINT STATE PARK & Kruse Rhododendron Preserve - Vascular Plants (version 2019-08)

α	Botanical Name	Common Name	Habitat	Life History/Form
FERNS				
Athyriaceae - Lady Fern				
	<i>Athyrium filix-femina</i> var. <i>cyclosorum</i>	lady fern	moist woods, forests	perennial
Blechnaceae (Deer Fern Family) - 2 taxa				
	<i>Struthiopteris spicant</i>	deer fern	moist woods, canyons	perennial
	<i>Woodwardia fimbriata</i>	giant chain fern	along creeks, in springs, seeps	perennial
Cystopteridaceae - Fragile Fern				
	<i>Cystopteris fragilis</i>	fragile fern	moist, shaded streambanks	perennial
Dennstaedtiaceae (Bracken Family) - 1 taxon				
	<i>Pteridium aquilinum</i> var. <i>pubescens</i>	bracken	widespread in grassland, scrub	perennial
Dryopteridaceae (Wood Fern Family) - 2 taxa (see also Woodsiaceae)				
	<i>Dryopteris arguta</i>	wood fern	woods, forests	perennial
	<i>Polystichum munitum</i>	western sword fern	damp forests, scrub, along streams	perennial
Equisetaceae (Horsetail Family) - 3 taxa				
	<i>Equisetum arvense</i>	common horsetail	wet soils near streams, seeps	perennial
	<i>Equisetum hyemale</i> ssp. <i>affine</i>	common scouring rush	moist scrub near streams	perennial
	<i>Equisetum telmateia</i> ssp. <i>braunii</i>	giant horsetail	streambanks, wet soils	perennial
Ophioglossaceae (Adder's-tongue Family) - 1 taxon				
	<i>Sceptridium multifidum</i>	grape-fern; moonwort	wet grassland, scrub	perennial
Polypodiaceae (Polypody Family) - 3 taxa				
	<i>Polypodium californicum</i>	California polypody	damp woods, stream banks	perennial
	<i>Polypodium glycyrrhiza</i>	licorice fern	damp canyons, on rocks, logs	perennial
	<i>Polypodium scoleri</i>	leather-leaf fern	on trees, rocks, soil in salt spray zone	perennial
Pteridaceae (Brake Family) - 3 taxa				
	<i>Adiantum aleuticum</i>	five-finger fern	wooded riparian	perennial
	<i>Adiantum jordanii</i>	California maidenhair	damp woods	perennial
	<i>Pentagramma triangularis</i>	goldback fern	banks, cliffs, logs	perennial
GYMNOSPERMS				
Cupressaceae (Cypress Family) - 3 taxa				
	<i>Hesperocyparis pygmaea</i>	pygmy cypress	pygmy forest	small tree
	<i>Hesperocyparis macrocarpa</i> *	Monterey cypress	coastal grassland	tree

<i>Sequoia sempervirens</i>	coast redwood	redwood forest	tree
Pinaceae (Pine Family) - 6 taxa			
<i>Abies grandis</i>	grand fir	forest	tree
<i>Pinus muricata</i>	Bishop pine	forest	tree
<i>Pinus radiata</i> *	Monterey pine	disturbed sites; forest	tree
<i>Pseudotsuga menziesii</i>	Douglas-fir	forest	tree
<i>Tsuga heterophylla</i>	western hemlock	forest	tree
Taxaceae (Yew Family) - 1 taxon			
<i>Torreya californica</i>	California nutmeg	moist, shady woodland, forest	shrub; tree
NYMPHAEALES			
Nymphaeaceae (Water-lily Family) - 1 taxon			
<i>Nuphar polysepala</i>	yellow pond-lily	open, still water	perennial
MAGNOLIIDS			
Aristolochiaceae (Pipevine Family) - 1 taxon			
<i>Asarum caudatum</i>	wild-ginger	streamsides; moist thickets	perennial
Lauraceae (Laurel Family) - 1 taxon			
<i>Umbellularia californica</i>	California bay	woodland; forest	shrub; tree
EUDICOTS			
Adoxaceae - 1 taxon			
<i>Sambucus racemosa</i> var. <i>racemosa</i>	red elderberry	wet places; scrub	shrub
Aizoaceae (Carpetweed or Fig-marigold Family) - 3 taxa			
<i>Carpobrotus chilensis</i> *	sea fig		perennial (trailing, mat-forming)
<i>Carpobrotus edulis</i> *	Hottentot-fig; iceplant		perennial (trailing, mat-forming)
<i>Tetragonia tetragonioides</i> *	New Zealand spinach	disturbed sites	annual
Amaranthaceae (Amaranth Family) - 2 taxa			
<i>Chenopodium californicum</i>	California goosefoot	sandy places (Stump Beach)	perennial
<i>Extriplex californica</i>	California orach	sandy places; marshes	perennial
Anacardiaceae (Cashew or Sumac Family) - 1 taxon			
<i>Toxicodendron diversilobum</i>	poison-oak	scrub; woodland; forest	shrub; vine
Apiaceae (Carrot, Parsley, Dill Family) aka Umbelliferae - 20 taxa			
<i>Angelica hendersonii</i>	coast angelica	scrub; grassland	perennial
<i>Apium graveolens</i> *	celery	damp areas	annual; perennial
<i>Conioselinum pacificum</i>	conioselinum	scrub	perennial

	<i>Conium maculatum</i> *	poison hemlock	moist, disturbed sites; scrub, streamsides	perennial
	<i>Daucus carota</i> *	Queen Anne's lace	grassland; disturbed sites	annual
	<i>Daucus pusillus</i>	rattlesnake weed	grassland	annual
	<i>Eryngium armatum</i>	coyote thistle	moist grassland	perennial
	<i>Foeniculum vulgare</i> *	fennel	disturbed sites; roadsides	perennial
4.2	<i>Glehnia littoralis</i> ssp. <i>leiocarpa</i>	beach silvertop	coastal strand	perennial
	<i>Heracleum maximum</i>	cow parsnip	moist coastal scrub, grassland	perennial
	<i>Ligusticum apiifolium</i>	celery-leaved lovage	shady banks, grassland	perennial
	<i>Oenanthe sarmentosa</i>	ditch-carrot	marshes; streamsides	perennial
	<i>Osmorhiza berteroi</i>	sweet cicely	moist, shady woodland, forest	perennial
4.2	<i>Perideridia gairdnerii</i> ssp. <i>gairdnerii</i>	Gairdner yampah	grassland; woodland	perennial
	<i>Sanicula arctopoides</i>	footsteps-of-spring	coastal bluffs; grassland	perennial
	<i>Sanicula bipinnatifida</i>	purple sanicle	grassland	perennial
	<i>Sanicula crassicaulis</i>	Pacific sanicle	grassland; woodland	perennial
	<i>Sanicula laciniata</i>	cutleaf sanicle	grassland; scrub	perennial
	<i>Scandix pecten-veneris</i> *	Venus's needle	disturbed sites; grassland	annual
	<i>Torilis arvensis</i> *	tall sock-destroyer	woodland; scrub; grassland	annual
<hr/>				
Apocynaceae (Dogbane Family) - 1 taxon				
	<i>Vinca major</i> *	periwinkle	disturbed sites; homesteads	perennial (groundcover)
<hr/>				
Araliaceae (Ginseng Family) 2 taxa				
	<i>Aralia californica</i>	elk-clover; spikenard	moist sites; streamsides	perennial
	<i>Hedera helix</i> *	English ivy	forest; disturbed sites	perennial (vine)
<hr/>				
Asteraceae (Sunflower Family) aka Compositae - 71 taxa				
	<i>Achillea millefolium</i>	yarrow	grassland	perennial
	<i>Adenocaulon bicolor</i>	trailfinder	shaded woodland, forest	perennial
	<i>Agoseris apargioides</i>	seaside agoseris	sandy soils; grassland; dunes	perennial
	<i>Agoseris heterophylla</i>	annual agoseris	grassland	annual
	<i>Ambrosia chamissonis</i>	beach-bur	beach; dunes	perennial
	<i>Anaphalis margaritacea</i>	pearly everlasting	grassland; scrub	perennial
	<i>Anisocarpus radioides</i>	woodland madia	woodland; forest	perennial
	<i>Arnica discoidea</i>	rayless arnica	woodland	perennial
	<i>Artemisia californica</i>	California sagebrush	scrub; grassland	shrub
	<i>Artemisia douglasiana</i>	Douglas mugwort	wetlands; grassland; scrub	perennial
	<i>Artemisia suksdorfii</i>	Suksdorf mugwort	wetlands; scrub; grassland	perennial

	<i>Baccharis pilularis</i> var. <i>consanguinea</i>	coyote brush	scrub; grassland	shrub
	<i>Bellis perennis</i> *	English daisy	moist grassland; disturbed sites	perennial
	<i>Calycadenia multiglandulosa</i>	sticky rosin weed	dry grassland, slopes	annual
	<i>Carduus pycnocephalus</i> ssp. <i>p.</i> *	Italian thistle	grassland; disturbed sites	annual
	<i>Cichorium intybus</i> *	chicory	disturbed sites; grassland	perennial
	<i>Cirsium brevistylum</i>	short-styled thistle	stream corridors; disturbed sites	biennial
	<i>Cirsium douglasii</i> var. <i>breweri</i>	swamp thistle	wet grassland; scrub	biennial; perennial
	<i>Cirsium occidentale</i> var. <i>occidentale</i>	cobweb thistle	grassland; coastal slopes; dunes	biennial
	<i>Cirsium quercetorum</i>	brownie thistle	grassland	perennial
	<i>Cirsium vulgare</i> *	bull thistle	grassland; scrub; disturbed, moist sites	biennial
	<i>Corethrogyne filaginifolia</i>	sand-aster	grassland; slopes	perennial
	<i>Cotula coronopifolia</i> *	brass-buttons	coastal wetlands	perennial
	<i>Deinandra corymbosa</i> ssp. <i>corymbosa</i>	tarplant	grassland	annual
	<i>Delairea odorata</i> *	Cape-ivy	scrub; woodland; disturbed sites	perennial (vinelike)
	<i>Erigeron canadensis</i>	Canadian horseweed	disturbed sites	annual
	<i>Erigeron glaucus</i>	seaside daisy	coastal bluffs, grassland	perennial
	<i>Eriophyllum lanatum</i> var. <i>arachnoideum</i>	woolly sunflower lizardtail; seaside woolly	banks, slopes; scrub	perennial
	<i>Eriophyllum staechadifolium</i>	sunflower	coastal bluffs; scrub	shrub
	<i>Euchiton gymnocephalus</i> *	creeping cudweed	forest flats, along trails	
	<i>Eurybia radulina</i>	rough-leaved aster	woodland; scrub	perennial
	<i>Gamochaeta ustulata</i>	purple cudweed	grassland; disturbed sites	annual; perennial
	<i>Grindelia stricta</i> var. <i>platyphylla</i>	gumplant	grassland; coastal bluffs, slopes	perennial
	<i>Helenium puberulum</i>	sneezeweed	wetlands	annual; perennial
	<i>Hemizonella minima</i>	little madia	woodland; forest; scrub	annual
	<i>Hemizonia congesta</i> ssp. <i>clevelandii</i>	hayfield tarweed	grassland (upper prairie)	annual
	<i>Hemizonia congesta</i> ssp. <i>lutescens</i>	pale yellow hayfield tarplant	coastal prairie	annual
1B.2	<i>Hesperevax sparsiflora</i> var. <i>brevifolia</i>	short-leaved revax	coastal bluffs; rocky sites	annual
	<i>Hesperevax sparsiflora</i> var. <i>sparsiflora</i>	few-flowered evax	grassland; scrub	annual
	<i>Heterotheca sessiliflora</i> ssp. <i>bolanderi</i>	Bolander golden-aster	grassland; coastal bluffs	perennial
	<i>Hieracium albiflorum</i>	hawkweed	dry woodland; forest	perennial
	<i>Hypochaeris glabra</i> *	smooth cat's-ear	grassland; dunes; disturbed sites	annual
	<i>Hypochaeris radicata</i> *	rough cat's-ear	grassland; disturbed sites	perennial
1B.2	<i>Lasthenia californica</i> ssp. <i>macrantha</i>	perennial goldfields	grassland	perennial

<i>Lasthenia glaberrima</i>	marsh lasthenia	salt marsh; wetlands	annual
<i>Lasthenia gracilis</i>	common goldfields	grassland	annual
<i>Layia gaillardoides</i>	layia	scrub; grassland	annual
<i>Layia platyglossa</i> ssp. <i>platyglossa</i>	tidy-tips	grassland; coastal bluffs	annual
<i>Leontodon saxatilis</i> *	hawkbit	grassland	annual; perennial
<i>Leucanthemum vulgare</i> *	ox-eye daisy	coastal strand	perennial
<i>Logfia filaginoides</i>	daggerleaf cottonrose	grassland; scrub	annual
<i>Madia exigua</i>	threadstem madia	grassland; woodland	annual
<i>Madia sativa</i>	coast madia	grassland; scrub	annual
<i>Matricaria discoidea</i> *	pineapple weed	disturbed sites	annual
<i>Microseris laciniata</i>	cut-leaf microseris	grassland	perennial
<i>Petasites frigidus</i> var. <i>palmatus</i>	coltsfoot	streamsides; shaded wetlands	perennial
<i>Pseudognaphalium californicum</i>	California cudweed	scrub; grassland	annual; biennial
<i>Pseudognaphalium luteoalbum</i> *	everlasting cudweed	grassland; disturbed sites	annual
<i>Pseudognaphalium ramosissimum</i>	pink cudweed	grassland; scrub	biennial
<i>Pseudognaphalium stramineum</i>	Chilean cudweed	scrub; slopes	annual; biennial
<i>Psilocarphus tenellus</i> var. <i>tenellus</i>	woolly-heads	disturbed, compacted soil	annual
<i>Senecio glomerata</i> *	Australian fireweed	scrub, grassland, woodland	perennial
<i>Senecio minima</i> *	Australian fireweed	scrub, grassland, woodland	annual; perennial
<i>Senecio vulgaris</i> *	groundsel	disturbed sites	annual
<i>Silybum marianum</i> *	milk thistle	disturbed sites	annual; biennial
<i>Solidago elongata</i>	West Coast Canada goldenrod	scrub	perennial
<i>Solidago spathulata</i>	coast goldenrod	sandy soils; dunes	perennial
<i>Soliva sessilis</i> *	field burweed	disturbed, compacted soil	annual
<i>Sonchus asper</i> ssp. <i>asper</i> *	prickly sow-thistle	disturbed sites; grassland	annual
<i>Sonchus oleraceus</i> *	common sow-thistle	disturbed sites; grassland; scrub	annual
<i>Symphotrichum chilense</i>	California coast aster	scrub; grassland	perennial
<i>Taraxacum officinale</i> *	dandelion	disturbed, moist sites; grassland	perennial
<i>Wyethia angustifolia</i>	narrow-leaved mule's-ears	grassland	perennial
Berberidaceae (Barberry Family) - 2 taxa			
<i>Berberis nervosa</i>	longleaf mahonia	woodland	shrub
<i>Vancouveria planipetala</i>	redwood-ivy; inside-out flower	moist coniferous forest	subshrub (groundcover)
Betulaceae (Birch Family) - 2 taxa			
<i>Alnus rubra</i> ¹	red alder	streamsides	tree

	<i>Corylus cornuta</i> var. <i>californica</i>	California hazel	damp woodland; forest	shrub
Boraginaceae (Borage Family) - 8 taxa (includes Hydrophyllaceae)				
	<i>Amsinckia spectabilis</i>	seaside fiddleneck	coastal grassland; dunes	annual
	<i>Myosotis discolor</i> *	blue scorpion-grass	disturbed sites	annual; biennial
	<i>Nemophila menziesii</i> var. <i>atomaria</i>	baby white-eyes	grassland	annual
	<i>Nemophila parviflora</i> var. <i>parviflora</i>	small-flowered nemophila	shaded places	annual
	<i>Phacelia bolanderi</i>	Bolander phacelia	moist coastal bluffs	perennial
	<i>Phacelia californica</i>	California phacelia	rocky places	perennial
	<i>Phacelia malvifolia</i>	stinging phacelia	gravelly, sandy slopes in scrub	annual
	<i>Plagiobothrys reticulatus</i> var. <i>reticulatus</i>	reticulate popcorn flower	wet grassland	annual
	<i>Plagiobothrys undulatus</i>	wavy-stemmed popcorn flower	grassland	
Brassicaceae (Mustard Family) aka Cruciferae - 13 taxa				
	<i>Barbarea vulgaris</i> *	common yellow cress	wet sites	perennial
	<i>Brassica nigra</i> *	black mustard	disturbed sites	annual
	<i>Brassica rapa</i> *	field mustard	disturbed sites, grassland	annual
	<i>Cakile maritima</i> *	sea rocket	dunes, beaches	annual
	<i>Capsella bursa-pastoris</i> *	shepherd's purse	disturbed sites	annual
	<i>Cardamine californica</i> var. <i>californica</i>	milk maids	grassland, woodland, forest	perennial
	<i>Cardamine oligosperma</i>	few-seeded bitter cress	disturbed sites, grassland, scrub	annual
1B.2	<i>Erysimum concinnum</i>	bluff wallflower	grassland	bien/perennial
	<i>Hirschfeldia incana</i> *	summer mustard	disturbed sites	biennial to perennial
	<i>Lepidium didymum</i> *	swinecress	disturbed sites	annual
	<i>Lepidium nitidum</i> var. <i>nitidum</i>	peppergrass	disturbed sites	annual
	<i>Nasturtium officinale</i>	water cress	wet places, streams, seeps	perennial
	<i>Raphanus sativus</i> *	wild radish	disturbed sites	annual
Campanulaceae (Bellflower Family) - 2 taxa				
	<i>Asyneuma prenanthoides</i>	nodding harebell	forest slopes	perennial
1B.2	<i>Campanula californica</i>	swamp harebell	freshwater swamp	perennial
Caprifoliaceae (Honeysuckle Family) - 3 taxa (see also Adoxaceae)				
	<i>Lonicera hispidula</i>	honeysuckle	woodland; scrub	perennial vine
	<i>Lonicera involucrata</i> var. <i>ledebourii</i>	twinberry	wet scrub; streamsides	shrub
	<i>Symphoricarpos albus</i> var. <i>laevigatus</i>	snowberry	wet places; streamsides	shrub
Caryophyllaceae (Pink Family) - 14 taxa				
	<i>Cardionema ramosissimum</i>	sand mat	coastal grassland; dunes	perennial

	<i>Cerastium arvense</i>	field chickweed	grassland; rocky sites	perennial
	<i>Cerastium glomeratum</i> *	mouse-ear chickweed	grassland; disturbed sites	annual
	<i>Polycarpon tetraphyllum</i> *	four-leaved allseed	grassland; dunes; disturbed sites	annual
	<i>Sagina apetala</i>	dwarf pearlwort	disturbed sites; grassland	annual
	<i>Sagina maxima</i> ssp. <i>crassicaulis</i>	big pearlwort	coastal bluffs	perennial
	<i>Sagina procumbens</i>	Arctic pearlwort	moist, sandy or gravelly places	perennial
	<i>Silene gallica</i> *	windmill pink	grassland; disturbed sites	annual
	<i>Spergula arvensis</i> *	stickwort	grassland; disturbed sites	annual
	<i>Spergularia macrotheca</i> var. <i>macrotheca</i>	sticky sand-spurrey	rocky, sandy coastal grassland, bluffs	perennial
	<i>Spergularia marina</i>	coastal sand-spurrey	muddy, alkaline marshy places	annual
	<i>Spergularia rubra</i> *	sand-spurrey	disturbed, compacted soil	annual; perennial
	<i>Stellaria media</i> *	common chickweed	moist, disturbed sites	annual
	<i>Stellaria pallida</i> *	chickweed	coastal grassland	annual
Celastraceae (Staff-tree Family) - 2 taxa				
	<i>Euonymus occidentalis</i>	western burning bush	moist, shady canyons	shrub
	<i>Paxistima myrsinites</i>	Oregon boxwood	shaded slopes in woodland	subshrub
Convolvulaceae (Morning-glory Family) - 6 taxa				
	<i>Calystegia occidentalis</i>	morning-glory	scrub	perennial
	<i>Calystegia purpurata</i> ssp. <i>purpurata</i>	coast morning-glory	grassland, scrub	perennial
1B.2	<i>Calystegia purpurata</i> ssp. <i>saxicola</i>	morning-glory	scrub	perennial
	<i>Calystegia soldanella</i>	beach morning-glory	coastal strand; dunes	perennial
	<i>Convolvulus arvensis</i> *	field bindweed	upper prairie	perennial
	<i>Cuscuta</i> sp.	dodder	on <i>Lupinus arboreus</i>	
	<i>Dichondra donelliana</i>	dichondra	grassland	perennial (mat-forming)
Crassulaceae (Stonecrop Family) - 2 taxa				
	<i>Crassula connata</i>	sand pygmy-weed	disturbed sites; grassland	annual
	<i>Dudleya farinosa</i>	coast live-forever	coastal bluffs; rocky sites	perennial
Cucurbitaceae (Gourd Family) - 2 taxa				
	<i>Marah fabacea</i>	coast man-root	scrub; grassland; woodland	perennial (trailing)
	<i>Marah oregana</i>	Oregon man-root	scrub; canyons	perennial (trailing)
Dipsacaceae (Teasel Family) - 1 taxon				
	<i>Dipsacus sativus</i> *	Fuller's teasel	disturbed sites; roadside banks	biennial
Ericaceae (Heather Family) - 16 taxa				
	<i>Allotropa virgata</i>	sugar stick	forest, in humus	perennial (non-green)

	<i>Arbutus menziesii</i>	Pacific madrone	woodland; forest	tree
	<i>Arctostaphylos columbiana</i>	hairy manzanita	woodland openings	shrub
	<i>Arctostaphylos glandulosa</i>	Eastwood manzanita	pygmy forest/scrub	shrub
	<i>Arctostaphylos nummularia</i>	shatterberry	woodland openings; pygmy forest	shrub
	<i>Arctostaphylos uva-ursi</i> forma <i>coactilis</i>	bearberry	marine terrace	shrub (low)
	<i>Chimaphila menziesii</i>	prince's pine	forest	perennial
	<i>Chimaphila umbellata</i>	prince's pine	redwood-tanoak forest	perennial
	<i>Gaultheria shallon</i>	salal	woodland; forest; scrub	shrub (low)
	<i>Hemitomes congestum</i>	gnome plant	forest, in humus	perennial (non-green)
	<i>Pleuricospora fimbriolata</i>	fringed pinesap	forest, in humus	perennial (non-green)
	<i>Rhododendron columbianum</i>	western Labrador-tea	coastal wetlands	shrub
	<i>Rhododendron macrophyllum</i>	California rose-bay	woodland; forest; pygmy forest	shrub
	<i>Rhododendron occidentale</i>	western azalea	moist sites; streambanks	shrub
	<i>Vaccinium ovatum</i>	blue huckleberry	woodland; forest; scrub	shrub
	<i>Vaccinium parvifolium</i>	red huckleberry	woodland; forest	shrub
<hr/>				
	Euphorbiaceae (Spurge Family) - 2 taxa			
	<i>Croton setiger</i>	turkey-mullein	disturbed sites, grassland	annual
	<i>Euphorbia peplus</i> *	petty spurge	disturbed moist sites	annual
<hr/>				
	Fabaceae (Legume Family) aka Leguminosae - 41 taxa			
	<i>Acacia pycnantha</i> *	golden wattle	disturbed sites (old homestead)	tree
	<i>Acmispon americanus</i> var. <i>americanus</i>	Spanish clover	disturbed sites; grassland	annual
	<i>Acmispon brachycarpus</i>	colchita	grassland; open, gravelly sites, slopes	annual
	<i>Acmispon grandiflorus</i> var. <i>grandiflorus</i>	large-flowered lotus	pine, Douglas-fir forest openings	perennial
	<i>Acmispon heermannii</i> var. <i>orbicularis</i>	Heermann lotus	scrub	perennial
	<i>Acmispon junceus</i> var. <i>biolettii</i>	lotus	coastal sand; scrub	perennial
	<i>Acmispon parviflorus</i>	miniature lotus	grassland; open sites, slopes	annual
	<i>Acmispon wrangelianus</i>	Wrangel lotus	grassland	annual
	<i>Astralagus nuttallii</i> var. <i>virgatus</i>	Nuttall milkvetch	sandy soils; coastal strand; scrub; bluffs	perennial
	<i>Cytisus scoparius</i> *	Scotch broom	disturbed sites; roadsides; grassland	shrub
	<i>Genista monspessulana</i> *	French broom	disturbed sites; roadsides; grassland	shrub
4.2	<i>Hosackia gracilis</i>	harlequin lotus	moist grassland	perennial
	<i>Hosackia rosea</i>	rose-flowered lotus	disturbed sites in forest	perennial
	<i>Lathyrus vestitus</i>	hillside pea	scrub; woodland	perennial
	<i>Lotus angustissimus</i> *	hairy annual lotus	disturbed sites; grassland	annual

<i>Lotus corniculatus</i> *	bird's-foot trefoil	disturbed sites	perennial
<i>Lotus tenuis</i> *	bird's-foot trefoil	disturbed sites; grassland	perennial
<i>Lupinus arboreus</i> var. <i>arboreus</i> *	yellow bush lupine	scrub; dunes	shrub
<i>Lupinus variicolor</i>	vari-colored lupine	grassland; coastal bluffs	perennial
<i>Medicago polymorpha</i> *	California burclover	disturbed sites	annual
<i>Melilotus albus</i> *	white sweetclover	disturbed sites; roadsides	annual; biennial
<i>Melilotus indicus</i> *	sourclover	disturbed sites; roadsides	annual
<i>Trifolium angustifolium</i> *	narrow-leaved clover	roadsides	annual
<i>Trifolium barbigerum</i>	bearded clover	grassland	annual
<i>Trifolium dubium</i> *	little hop clover	disturbed sites; grassland	annual
<i>Trifolium fragiferum</i> *	strawberry clover	trails	perennial
<i>Trifolium hirtum</i> *	rose clover	roadsides	annual
<i>Trifolium incarnatum</i> *	crimson clover	roadsides	annual
<i>Trifolium macraei</i>	Chile clover	grassland; disturbed sites	annual
<i>Trifolium microcephalum</i>	smallhead clover	grassland; disturbed sites	annual
<i>Trifolium microdon</i>	squarehead clover	grassland; disturbed sites	annual
<i>Trifolium oliganthum</i>	few-flowered	moist grassland, disturbed sites	annual
<i>Trifolium repens</i> *	white clover	moist, disturbed sites	perennial
<i>Trifolium subterraneum</i> *	subterranean clover	grassland; disturbed sites	perennial
<i>Trifolium variegatum</i>	whitetip clover	grassland; moist sites	annual
<i>Trifolium willdenovii</i>	tomcat clover	grassland; scrub; open sites	annual
<i>Trifolium wormskioldii</i>	cow clover	grassland; moist sites	perennial
<i>Vicia americana</i> var. <i>americana</i>	American vetch	moist woodland; forest; grassland	perennial
<i>Vicia gigantea</i>	giant vetch	scrub; seeps; streamsides	perennial
<i>Vicia lathyroides</i> *	pea vetch	disturbed sites, trail- and roadsides	annual
<i>Vicia sativa</i> ssp. <i>nigra</i> *	common vetch	grassland; disturbed site	annual
<i>Vicia tetrasperma</i>	sparrow vetch	disturbed sites	annual

Fagaceae (Oak, Beech Family) - 9 taxa

<i>Chrysolepis chrysophylla</i> var. <i>chrysophylla</i>	giant chinquapin	forest	tree
<i>Chrysolepis chrysophylla</i> var. <i>minor</i>	dwarf chinquapin	pygmy forest	shrub
<i>Notholithocarpus densiflorus</i> var. <i>densiflorus</i> ¹	tanbark oak	forest	tree
<i>Quercus agrifolia</i> var. <i>agrifolia</i>	coast live oak	woodland; forest	tree
<i>Quercus chrysolepis</i>	canyon live oak	forest	tree
<i>Quercus garryana</i> var. <i>garryana</i>	Oregon white oak	woodland	tree

<i>Quercus kelloggii</i>	black oak	forest	tree
<i>Quercus parvula</i> var. <i>shrevei</i>	Shreve oak	forest	tree
<i>Quercus wislizeni</i> var. <i>frutescens</i>	interior live oak	forest edge	shrub
Garryaceae (Silktassel Family) - 1 taxon			
<i>Garrya elliptica</i>	coast silktassel	scrub; coastal bluffs	shrub
Gentianaceae (Gentian Family) - 3 taxa			
<i>Cicendia quadrangularis</i>	cicendia	grassland	annual
<i>Gentiana affinis</i> var. <i>ovata</i>	Oregon gentian	scrub	perennial
<i>Zeltnera davyi</i>	centaurium	moist grassland	annual
Geraniaceae (Geranium Family) - 7 taxa			
<i>Erodium botrys</i> *	long-beaked filaree	disturbed sites; grassland	annual
<i>Erodium cicutarium</i> *	red-stemmed filaree	disturbed sites; grassland	annual
<i>Geranium carolinianum</i>	Carolina geranium	shady woodland	annual
<i>Geranium core-core</i> *	New Zealand geranium	disturbed sites, roadsides	perennial
<i>Geranium dissectum</i> *	cutleaf geranium	disturbed sites; grassland	annual
<i>Geranium molle</i> *	softleaf geranium	disturbed sites; grassland	annual; biennial
<i>Pelargonium grossularioides</i> * ¹	garden geranium	disturbed sites; roadsides	perennial
Hydrangeaceae (Hydrangea Family) - 1 taxon			
<i>Whipplea modesta</i>	modesty; yerba de selva	shaded woodland banks	subshrub
Hypericaceae (St. John's Wort Family) = Clusiaceae (Best, et al.) - 2 taxa			
<i>Hypericum anagalloides</i>	Tinker's penny	wet meadow	perennial
<i>Hypericum perforatum</i> *	Klamath weed	disturbed sites, trail- and roadsides	perennial
Lamiaceae (Mint Family) - 8 taxa			
<i>Clinopodium douglasii</i>	yerba buena	moist scrub understory; woodland	perennial
<i>Mentha pulegium</i> *	pennyroyal	moist to wet places	perennial
<i>Mentha spicata</i> *	spearmint	moist to wet places	perennial
<i>Monardella villosa</i> ssp. <i>villosa</i>	hairy coyote mint	coastal bluffs; scrub	perennial; subshrub
<i>Pogogyne zizyphoroides</i>	Sacramento beardstyle	wet depressions	annual
<i>Prunella vulgaris</i> var. <i>lanceolata</i>	self-heal	moist places; grassland	perennial
<i>Stachys rigida</i> var. <i>quercetorum</i>	hedge-nettle	grassland; scrub; woodland	perennial
<i>Stachys chamissonis</i>	marsh hedge-nettle	wet places	perennial
Limnanthaceae (Meadowfoam Family) - 1 taxon			
<i>Limnanthes douglasii</i> ssp. <i>douglasii</i>	Douglas meadowfoam	wet grassland; marshes	annual
Linaceae (Flax Family) - 2 taxa			

<i>Linum bienne</i> *	blue flax	grassland	perennial
<i>Linum usitatissimum</i> *	common flax	disturbed sites, roadsides	annual
Lythraceae (Loosestrife Family) - 1 taxon			
<i>Lythrum hyssopifolia</i> *	hyssop-leaved loosestrife	moist, disturbed sites	annual; biennial
Malvaceae (Mallow Family) - 2 taxa			
<i>Sidalcea malviflora</i> ssp. <i>malviflora</i>	mallow-flowered (duh!) checkerbloom	grassland	perennial
1B.2 <i>Sidalcea malviflora</i> ssp. <i>purpurea</i>	coastal purple checkerbloom	grassland (Gerstle Cove area)	perennial
Montiaceae (Montia Family) - 4 taxa			
<i>Calandrinia menziesii</i>	red maids	grassland; sandy areas	annual
<i>Claytonia parviflora</i>	claytonia	gravelly, sandy slopes in scrub	annual
<i>Claytonia perfoliata</i>	miner's lettuce	grassland; scrub; woodland	annual
<i>Claytonia sibirica</i>	candy flower	moist scrub	annual/perennial
Myricaceae (Wax Myrtle Family) - 1 taxon			
<i>Morella californica</i>	wax myrtle	moist canyons, slopes	shrub
Myrsinaceae - 3 taxa			
<i>Lysimachia arvensis</i> *	scarlet pimpernel	disturbed sites; grassland	annual
<i>Lysimachia latifolia</i>	starflower	woodland, forest	perennial
<i>Lysimachia minima</i>	chaffweed	wet places in grassland	annual
Myrtaceae (Myrtle Family) - 1 taxon			
<i>Eucalyptus globulus</i> *	Tasmanian bluegum	disturbed sites	tree
Onagraceae (Evening Primrose Family) - 6 taxa			
<i>Camissoniopsis cheiranthifolia</i>	beach evening-primrose	coastal strand; dunes	perennial
<i>Chamerion angustifolium</i> ssp. <i>circumvagum</i>	fireweed	moist, open places	perennial
<i>Clarkia davyi</i>	Davy clarkia	grassland	annual
<i>Epilobium ciliatum</i> ssp.	fringed willow-herb	wet places	perennial
<i>Fuchsia boliviana</i> *	fuchsia	gardens, old homesteads	shrub
<i>Taraxia ovata</i>	sun cup	moist grassland	perennial
Orobanchaceae (Broom-rape Family) - 9 taxa			
<i>Castilleja ambigua</i> ssp. <i>ambigua</i>	johnny-nip	saline, marshy areas	annual
<i>Castilleja attenuata</i>	valley tassels	grassland	annual
<i>Castilleja latifolia</i>	Monterey Coast paintbrush	coastal bluffs	perennial, subshrub
<i>Castilleja subinclusa</i> ssp. <i>franciscana</i>	Franciscan paintbrush	dry slopes (Miller Cr. Canyon)	perennial
<i>Castilleja wightii</i>	Wight's paintbrush	scrub; coastal bluffs	perennial, subshrub
<i>Pedicularis densiflora</i>	ruby spires	maritime chaparral, woodland	perennial (with Arbutus or Arctostaphylos)

<i>Triphysaria eriantha</i> ssp. <i>rosea</i>	johnny-tuck	grassland	annual
<i>Triphysaria pusilla</i>	dwarf owl's-clover	disturbed sites; grassland	annual
<i>Triphysaria versicolor</i> ssp. <i>versicolor</i>	yellow-beak false owl's-clover	grassland	annual
Oxalidaceae (Oxalis Family) - 4 taxa			
<i>Oxalis corniculata</i> *	creepy oxalis	disturbed sites	perennial
<i>Oxalis oregana</i>	redwood sorrel	redwood forest	perennial
<i>Oxalis pes-caprae</i> *	Bermuda buttercup	disturbed sites; grassland	perennial
<i>Oxalis pilosa</i>	hairy wood sorrel	grassland	perennial
Papaveraceae (Poppy Family) - 3 taxa			
<i>Dicentra formosa</i>	western bleeding heart	moist redwood forest	perennial
<i>Eschscholzia californica</i>	California poppy	grassland	annual; perennial
<i>Platystemon californicus</i>	cream cups	grassland	annual
Phrymaceae (Phryma Family) - 3 taxa			
<i>Diplacus aurantiacus</i>	sticky monkeyflower	scrub; woodland	perennial; subshrub to shrub
<i>Erythranthe guttata</i>	seep monkeyflower	wet places	annual, perennial
<i>Erythranthe moschata</i>	musk monkeyflower	marshes	perennial
Plantaginaceae (Plantain Family) - 10 taxa			
<i>Callitriche heterophylla</i>	water-starwort	pond edges, marshes, wet places	annual
<i>Digitalis purpurea</i> *	foxglove	moist forest, other sites	perennial
<i>Gratiola ebracteata</i>	bractless hedge-hyssop	marshy, muddy sites	annual
<i>Kickxia spuria</i> *	fluellin	disturbed sites	annual
<i>Plantago coronopus</i> *	cutleaf plantain	disturbed sites; grassland; bluffs	annual; biennial
<i>Plantago erecta</i>	Californiaplantain	grassland	annual
<i>Plantago lanceolata</i> *	English plantain	disturbed sites; grassland	perennial
<i>Plantago major</i> *	common plantain	disturbed moist sites	perennial
<i>Plantago maritima</i>	seaside plantain	coastal bluffs	perennial
<i>Plantago subnuda</i>	almost-naked plantain	marshes; moist bluffs, banks	perennial
<i>Synthyris reniformis</i>	snow queen	moist, shady sites; woodland	perennial
Plumbaginaceae (Leadwort Family) - 2 taxa			
<i>Armeria maritima</i> ssp. <i>californica</i>	sea thrift; sea-pink	coastal bluffs; coastal grassland	perennial
<i>Limonium californicum</i>	sea-lavender; marsh-rosemary	salt marsh; moist bluffs	perennial
Polemoniaceae (Phlox Family) - 5 taxa			
<i>Collomia heterophylla</i> ¹	vari-leaf collomia	moist scrub; woodland	annual
1B.1 <i>Gilis capitata</i> ssp. <i>tomentosa</i>	tomentose globe gilia	Miller Canyon	annual

	<i>Leptosiphon bicolor</i>	baby stars	grassland	annual
	<i>Navarretia mellita</i>	honey-scented skunkweed	sandy slopes (Stump Beach)	annual
	<i>Navarretia squarrosa</i>	skunkweed	grassland; disturbed sites	annual
Polygalaceae (Milkwort Family) - 1 taxon				
	<i>Polygala californica</i>	California milkwort	dry woodland	perennial
Polygonaceae (Knotweed Family) - 8 taxa				
	<i>Chorizanthe cuspidata</i> var. <i>villosa</i>	spineflower	coastal, sandy soils	annual
	<i>Eriogonum latifolium</i>	coast buckwheat	grassland, coastal bluffs	perennial
	<i>Polygonum aviculare</i> ssp. <i>depressum</i> *	dooryard knotweed	disturbed sites	annual
	<i>Polygonum paronychia</i>	dune knotweed	coastal strand; grassland	subshrub
	<i>Rumex acetosella</i> *	sheep sorrel	disturbed sites, grassland	perennial
	<i>Rumex conglomeratus</i> *	s	low-lying, moist areas	perennial
	<i>Rumex crispus</i> *	curly dock	disturbed moist sites	perennial
	<i>Rumex crassus</i>	willow dock	sandy coastal sites; dunes	perennial
	<i>Rumex obtusifolius</i> *	bitter dock	shaded, moist openings in forest	perennial
Ranunculaceae (Buttercup Family) - 4 taxa				
	<i>Actaea rubra</i>	baneberry	moist forest slopes	perennial
	<i>Aquilegia formosa</i>	western columbine	moist sites	perennial
	<i>Ranunculus californicus</i>	California buttercup	moist grassland	perennial
	<i>Ranunculus muricatus</i> *	stickseed buttercup	moist, disturbed sites	annual; biennial
Rhamnaceae (Buckthorn Family) - 8 taxa				
	<i>Ceanothus foliosus</i> var. <i>foliosus</i>	wavyleaf ceanothus	dry woodland; scrub	shrub
4.3	<i>Ceanothus gloriosus</i> var. <i>exaltatus</i>	glory brush	upper prairie	
4.3	<i>Ceanothus gloriosus</i> var. <i>gloriosus</i>	Pt. Reyes ceanothus	coastal bluffs, slopes	shrub
	<i>Ceanothus thyrsiflorus</i> var. <i>griseus</i>	Carmel ceanothus	coastal scrub, slopes	shrub
	<i>Ceanothus thyrsiflorus</i> var. <i>thyrsiflorus</i>	blue blossom	woodland; scrub	shrub
	<i>Ceanothus velutinus</i>	tobacco brush	woodland slopes	shrub
	<i>Frangula californica</i>	coffeberry	woodland; scrub	shrub
	<i>Frangula purshiana</i>	cascara sagrada	moist woodland	shrub
Rosaceae (Rose Family) - 22 taxa				
	<i>Acaena novae-zelandiae</i> *	biddy-biddy	grassland	perennial
	<i>Acaena pinnatifida</i>	acaena	grassland	perennial
	<i>Amelanchier alnifolia</i>	service-berry	woodland; open slopes; scrub	shrub
	<i>Aphanes occidentalis</i>	lady's mantle	disturbed sites; grassland	annual

	<i>Cotoneaster lacteus</i> *	Parney cotoneaster	disturbed sites, grassland	shrub
	<i>Cotoneaster pannosus</i> *	silverleaf cotoneaster	scrub; disturbed sites	shrub
	<i>Drymocallis glandulosa</i> var. <i>glandulosa</i>	sticky cinquefoil	grassland; woodland	perennial
	<i>Fragaria chiloensis</i>	beach strawberry	beach; dunes; grassland; scrub	perennial (trailing)
	<i>Fragaria vesca</i>	wood strawberry	scrub; grassland; woodland	perennial (trailing)
	<i>Heteromeles arbutifolia</i>	toyon	scrub; woodland	shrub
	<i>Horkelia californica</i>	California horkelia	scrub; grassland	perennial
1B.2	<i>Horkelia tenuiloba</i>	thin-lobed horkelia	grassland	perennial
	<i>Potentilla anserina</i> ssp. <i>pacifica</i>	silverweed	wet coastal places	perennial
	<i>Pyracantha angustifolia</i> *	firethorn	disturbed sites	shrub
	<i>Rosa californica</i>	California wild rose	scrub; moist places	shrub
	<i>Rosa rubiginosa</i> *	sweet-brier	scrub; disturbed places	shrub
	<i>Rosa gymnocarpa</i>	wood rose	woodland; forest	perennial; shrub
	<i>Rosa nutkana</i> var. <i>nutkana</i>	Nootka rose	moist flat areas	shrub
	<i>Rubus armeniacus</i> *	Armenian blackberry	disturbed sites	shrub
	<i>Rubus leucodermis</i>	blackcap raspberry	slopes; canyons	shrub
	<i>Rubus parviflorus</i>	thimbleberry	moist places; scrub	shrub
	<i>Rubus spectabilis</i>	salmonberry	moist places; streamsides	shrub
	<i>Rubus ursinus</i>	California blackberry	grassland; scrub	shrub; trailing
<hr/>				
Rubiaceae (Madder Family) - 6 taxa				
	<i>Galium aparine</i>	goose-grass; bedstraw; cleavers	grassland; woodland	annual (trailing)
	<i>Galium californicum</i> ssp. <i>maritimum</i>	bedstraw	woodland; forest	perennial (trailing)
	<i>Galium muricatum</i>	Oregon bedstraw	forest (Prairie Trail nr. Plantation Rd.)	perennia
	<i>Galium porrigens</i> var. <i>porrigens</i>	climbing bedstraw	woodland; scrub; forest	perennial (climbing)
	<i>Galium trifidum</i> var. <i>pacificum</i>	bedstraw	wet places	perennial
	<i>Galium triflorum</i>	sweet-scented bedstraw	woodland	perennial
	<i>Sherardia arvensis</i> *	field madder	grassland	annual
<hr/>				
Salicaceae (Willow Family) - 5 taxa				
	<i>Salix hookeriana</i>	coastal willow	stream mouths	shrub
	<i>Salix laevigata</i>	red willow	streamsides	shrub; tree
	<i>Salix lasiandra</i> ssp. <i>lasiandra</i>	shining willow	wet places; seeps	shrub; tree
	<i>Salix scouleriana</i>	Scouler's willow	woodland	tree
	<i>Salix sitchensis</i>	Sitka willow	streamsides	shrub; tree
<hr/>				
Sapindaceae (Soapberry Family) -- 1 taxon				

<i>Aesculus californica</i>	California buckeye	woodland; slopes	tree
Saxifragaceae (Saxifrage Family) - 5 taxa			
<i>Boykinia occidentalis</i>	western boykinia	creek banks	perennial
<i>Heuchera micrantha</i>	alumroot	damp banks, rocks, cliffs	perennial
<i>Heuchera pilosissima</i>	coast alumroot	coastal bluffs, slopes	perennial
<i>Tiarella trifoliata</i> var. <i>unifoliata</i>	sugar-scoop	moist, shaded slopes	perennial
<i>Tolmiea diplomenziesii</i>	pig-a-back plant	damp, cool places	perennial
Scrophulariaceae (Figwort Family) - 1 taxon			
<i>Scrophularia californica</i> ssp. <i>californica</i>	bee plant	moist to wet places; scrub	perennial
Solanaceae (Nightshade Family) - 2 taxa			
<i>Solanum americanum</i>	small-flowered nightshade	moist places	annual, perennial, subshrub
<i>Solanum furcatum</i> *	forked nightshade	disturbed sites, bluffs at Stump Beach	perennial
Urticaceae (Nettle Family) - 1 taxon			
<i>Urtica dioica</i> ssp. <i>gracilis</i>	American stinging nettle	wet thickets; streamsides	perennial
Violaceae (Violet Family) - 3 taxa			
<i>Viola adunca</i>	western dog violet	grassland	perennial
<i>Viola glabella</i>	stream violet	along streams	perennial
<i>Viola sempervirens</i>	redwood violet	woodland, forest	perennial
Viscaceae (Mistletoe Family) - 1 taxon			
<i>Arceuthobium campylopodum</i>	western dwarf mistletoe	on <i>Abies</i> , <i>Pinus</i>	perennial (hemi-parasite)
MONOCOTS			
Agavaceae (Yucca Family) - 3 taxa			
<i>Camassia quamash</i> ssp. <i>breviflora</i>	common camas	moist grassland; marsh	perennial
<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	soap root	woodland	perennial
<i>Cordylone australis</i> *	cordylone	forest; riparian	perennial (shrub/tree)
Alliaceae (Onion Family) - 2 taxa			
<i>Allium dichlamydeum</i>	coast onion	grassland; rocky bluffs	perennial (bulb)
<i>Allium unifolium</i>	single-leaf onion	grassland; open sites	perennial (bulb)
Amaryllidaceae (Amaryllis Family) - 1 taxon			
<i>Narcissus pseudonarcissus</i> *	daffodil	disturbed sites (garden escape)	perennial (bulb)
Araceae (Arum Family) - 2 taxa			
<i>Lemna minor</i>	duckweed	surface of pools, ponds, slow-moving water	perennial
<i>Zantedeschia aethiopica</i> *	calla lily	seeps; streamsides; springs; moist grassland	perennial

Asphodelaceae (Asphodel Family) - 1 taxon			
	<i>Kniphofia uvaria</i> *	red-hot poker	disturbed sites perennial (rhizome)
Cyperaceae (Sedge Family) - 16 taxa			
	<i>Carex bolanderi</i>	Bolander sedge	ditches, marshes perennial
2.3	<i>Carex californica</i>	California sedge	woodland, trails perennial
	<i>Carex globosa</i>	round-fruited sedge	woodland perennial
	<i>Carex gynodynamis</i>	wonder woman sedge	moist grassland, trails perennial
	<i>Carex harfordii</i>	Harford sedge	moist grassland, forest openings perennial
	<i>Carex hendersonii</i>	Henderson sedge	shaded, moist woodland, forest edge perennial
	<i>Carex leptopoda</i>	slender-footed sedge	redwood forest perennial
	<i>Carex obnupta</i>	slough sedge	marshes; wet grassland, scrub; seeps perennial
	<i>Carex tumulicola</i>	foothill sedge	open, seasonally moist grassland, woodland perennial
	<i>Carex vesicaria</i>	inflated sedge	marshes; wet grassland perennial
	<i>Cyperus eragrostis</i> var. <i>eragrostis</i>	love-grass nut-sedge	moist grassland, woodland, disturbed sites perennial
	<i>Isolepis carinata</i>	bulrush	wet ground; seeps perennial
	<i>Isolepis cernua</i>	low lateral bulrush	wet ground; marshes; seeps perennial
	<i>Schoenoplectus americanus</i>	American bulrush	marshes; streamsides perennial
	<i>Schoenoplectus pungens</i> var. <i>longispicatus</i>	threesquare	marshes; wet, alkaline soils perennial
	<i>Scirpus microcarpus</i>	panicked bulrush	seeps; streamsides; marshes perennial
Iridaceae (Iris Family) - 7 taxa			
	<i>Crocasmia X crocosmiiflora</i> *	montbretia	disturbed sites, roadsides perennial (corm)
	<i>Iris douglasiana</i>	Douglas iris	grassland; open woodland perennial (rhizome)
4.2	<i>Iris longipetala</i>	coast iris	moist, open sites perennial (rhizome)
	<i>Romulea rosea</i> ssp. <i>australis</i> *	rosy sand crocus	disturbed roadside gravel, grassland perennial (corm)
	<i>Sisyrinchium bellum</i>	blue-eyed grass	grassland; open woodland perennial (rhizome)
	<i>Sisyrinchium californicum</i>	golden-eyed grass	moist to wet, open sites perennial (rhizome)
	<i>Watsonia meriana</i> *	watsonia	disturbed sites (garden escape) perennial (corm)
Juncaceae (Rush Family) - 12 taxa			
	<i>Juncus bolanderi</i>	Bolander's rush	wet ground; marshes; seeps perennial
	<i>Juncus bufonius</i> var. <i>bufonius</i>	toad rush	seasonally moist ground annual
	<i>Juncus capitatus</i> *	rush	vernally wet grassland, slopes annual
	<i>Juncus effusus</i> ssp. <i>pacificus</i>	Pacific rush	marshes; wet grassland, seeps, slopes perennial
	<i>Juncus ensifolius</i>	rush	marshes; wet grassland perennial
	<i>Juncus hesperius</i>	coast rush	ditches; marshes perennial

	<i>Juncus lescurii</i>	San Francisco rush	sandy flats, slopes, grassland; dunes	perennial
	<i>Juncus occidentalis</i>	western rush	seasonally moist ground	perennial
	<i>Juncus patens</i>	spreading rush	damp grassland, slopes; streamsides	perennial
	<i>Juncus phaeocephalus</i> var. <i>phaeocephalus</i>	brown-headed rush	marshes; wet ground	perennial
	<i>Juncus xiphioides</i>	iris-leaved rush	marshes; springs	perennial
	<i>Luzula comosa</i>	wood rush	moist grassland, woodland, slopes	perennial
Liliaceae (Lily Family) - 9 taxa; see also Agavaceae, Alliaceae, Amaryllidaceae, Asphodelaceae, Melanthiaceae, Ruscaceae, Themidaceae)				
4.2	<i>Calochortus tolmiei</i>	pussy ears	grassland; woodland	perennial (bulb)
	<i>Calochortus uniflorus</i>	pink star-tulip	grassland; woodland	perennial (bulb)
	<i>Clintonia andrewsiana</i>	blue bead lily	moist, shaded woodland	perennial (rhizome)
	<i>Lilium columbianum</i>	Oregon lily	dry scrub, grassland, forest openings	perennial (rhizome)
1B.1	<i>Lilium maritimum</i>	coast lily	moist, sandy sites in woodland, forest	perennial (rhizome)
	<i>Lilium pardalinum</i> ssp. <i>pardalinum</i>	leopard lily	springs, seeps, streamsides	perennial (rhizome)
	<i>Prosartes hookeri</i>	Hooker fairy bells	shaded sites; woodland; forest	perennial (rhizome)
	<i>Prosartes smithii</i>	Smith fairy bells	coastal shaded, moist sites (Miller Cr.)	perennial (rhizome)
	<i>Scoliopus bigelovii</i>	fetid adder's tongue	moist, shaded woodland, forest	perennial (rhizome)
Melanthiaceae (False-hellebore Family) 5 taxa				
	<i>Toxicoscordion fontanum</i>	star lily	moist sites; flats	perennial (rhizome)
	<i>Toxicoscordion fremontii</i>	Fremont death-camas	drier sites, slopes; scrub; woodland; grassland	perennial (rhizome)
	<i>Trillium ovatum</i> ssp. <i>ovatum</i>	wake robin	moist woods, scrub	perennial (rhizome)
4.3	<i>Veratrum fimbriatum</i>	fringed false hellebore	wet sites; streamsides; meadows	perennial (rhizome)
	<i>Xerophyllum tenax</i>	bear-grass	dry, open sites	perennial (rhizome)
Orchidaceae (Orchid Family) - 7 taxa				
	<i>Calypso bulbosa</i>	calypso orchid	shaded forest	perennial
	<i>Corallorhiza maculata</i>	spotted coralroot	shaded forest	perennial
	<i>Corallorhiza mertensiana</i>	western coralroot	shaded forest, in humus	perennial (non-green, rhizome)
	<i>Corallorhiza striata</i>	striped coralroot	dense, shaded woodland, forest	perennial (non-green, rhizome)
	<i>Epipactis gigantea</i>	stream orchid	streamsides	perennial (rhizome)
	<i>Epipactis helleborine</i> *	broad-leaved orchid	forest (Praire Trail nr. Plantation Rd.)	perennial (rhizome)
	<i>Goodyera oblongifolia</i>	rattlesnake-plantain	shaded forest	perennial
	<i>Spiranthes romanzoffiana</i>	ladies' tresses	moist grassland, seeps	perennial (rhizome)
Poaceae (Grass Family) aka Graminae - 61 taxa				
	<i>Agrostis exarata</i>	spikebentgrass	woodland	perennial
	<i>Agrostis pallens</i>	thin bent grass	grassland; woodland	perennial (rhizomes)

	<i>Agrostis stolonifera</i> *	redtop bentgrass	moist areas	perennial
	<i>Aira caryophyllaea</i> *	silver European hairgrass	grassland; disturbed sites	annual
	<i>Aira praecox</i> *	hairgrass	bluffs; grassland	annual
	<i>Ammophila arenaria</i> *	European beachgrass	dunes; beaches	perennial (rhizome)
	<i>Anthoxanthum occidentale</i>	vanilla grass	forest; scrub	perennial (rhizomes)
	<i>Anthoxanthum odoratum</i> *	sweet vernal grass	moist grassland	perennial (cespitose)
	<i>Arundo donax</i> *	giant reed	seeps; wetlands (Stump Beach)	perennial (rhizomes)
	<i>Avena sativa</i> *	cultivated oat	disturbed sites	annual
	<i>Briza maxima</i> *	rattlesnake grass	grassland; disturbed sites; roadcuts	annual
	<i>Briza minor</i> *	little quaking grass	grassland; disturbed sites	annual
	<i>Bromus carinatus</i> var. <i>carinatus</i>	California brome	grassland; woodland	perennial (cespitose)
	<i>Bromus carinatus</i> var. <i>maritimus</i>	California brome	dunes; coastal bluffs, grassland	perennial (cespitose)
	<i>Bromus diandrus</i> *	ripgut brome	sandy soils; grassland; disturbed sites	annual
	<i>Bromus hordeaceus</i> *	soft chess	grassland; woodland; disturbed sites	annual
	<i>Bromus laevipes</i>	woodland brome	woodlands, forest openings	perennial
	<i>Bromus madritensis</i> ssp. <i>rubens</i> *	red brome	grassland; disturbed sites	annual
4.2	<i>Calamagrostis bolanderi</i>	Bolander's reed grass	forest edges, woodland	perennial (rhizome)
	<i>Calamagrostis nutkaensis</i>	Pacific reed grass	moist coastal grassland	perennial (cespitose)
	<i>Cortaderia jubata</i> *	jubatagrass	disturbed sites; bluffs; roadcuts	perennial (cespitose)
	<i>Cynodon dactylon</i> *	Bermuda grass	disturbed sites	perennial (rhizomes)
	<i>Cynosurus echinatus</i> *	hedgehog dogtail	grassland; openings in woodlands	annual
	<i>Dactylis glomerata</i> *	orchard grass	grassland; disturbed sites	perennial (rhizomes)
	<i>Danthonia californica</i>	California oatgrass	moist grassland	perennial (cespitose)
	<i>Deschampsia cespitosa</i> ssp. <i>holciformis</i>	tufted hairgrass	grassland	perennial (cespitose)
	<i>Deschampsia elongata</i>	slender hairgrass	moist grassland, openings in woodlands	perennial (cespitose)
	<i>Digitaria ischaemum</i> *	crabgrass	disturbed sites	annual
	<i>Distichlis spicata</i>	saltgrass	salt marshes, saline seeps	perennial (rhizomes)
	<i>Elymus glaucus</i>	blue wildrye	grassland; woodland	perennial (rhizomes)
	<i>Elymus pacificus</i>	Pacific wildrye	coastal bluffs, beach	perennial (rhizomes)
	<i>Elymus trachycaulus</i> ssp. <i>trachycaulis</i>	bearded wheatgrass	moist grassland, woodland	perennial (rhizomes)
	<i>Festuca arundinacea</i> *	tall fescue	moist grassland; disturbed sites	perennial (cespitose)
	<i>Festuca bromoides</i> *	brome fescue	moist areas; marshy ground	annual
	<i>Festuca californica</i>	California fescue	scrub; grassland; woodland	perennial (cespitose)
	<i>Festuca idahoensis</i>	Idaho fescue	scrub; grassland; woodland	perennial (cespitose)

<i>Festuca myuros</i> *	6-weeks fescue	many habitats	annual
<i>Festuca occidentalis</i>	western fescue	forest openings	perennial (cespitose)
<i>Festuca perennis</i> *	Italian/perennial ryegrass	grassland, disturbed sites	annual/perennial
<i>Festuca pratensis</i> *	meadow fescue	disturbed sites; roadsides	perennial (cespitose)
<i>Festuca rubra</i>	red fescue	grassland	perennial (cespitose)
<i>Holcus lanatus</i> *	purple velvet grass	moist grassland; disturbed sites	perennial (clumping)
<i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i>	meadow barley	moist grassland	perennial (rhizomes)
<i>Hordeum brachyantherum</i> ssp. <i>californicum</i>	California barley	scrub; grassland	perennial (rhizomes)
<i>Hordeum marinum</i> ssp. <i>gussoneanum</i>	Mediterranean barley	grassland	annual
<i>Hordeum murinum</i> * ssp. <i>leporinum</i>	hare barley	grassland; disturbed sites	annual
<i>Lagurus ovatus</i> *	hare's tail	grassland; disturbed sites	annual
<i>Melica torreyana</i>	Torrey melic	woodland; scrub; forest	perennial (rhizomes)
<i>Panicum acuminatum</i> var. <i>fasciculatum</i>	Pacific panic grass	moist grassland (upper prairie), roadside ditches	perennial
<i>Phalaris aquatica</i> *	Harding grass	moist, disturbed sites	perennial (clumped)
<i>Phalaris californica</i>	California canary grass	marshes, roadside ditches	perennial
<i>Phleum pratense</i> *	cultivated timothy	disturbed sites	perennial (clumped)
<i>Poa annua</i> *	annual bluegrass	moist, disturbed sites	annual
<i>Poa douglasii</i>	sand dune bluegrass	dunes; beaches	perennial (rhizomes)
<i>Poa kelloggii</i>	Kellogg bluegrass	partly shaded redwood, bishop pine forest	perennial (rhizome)
<i>Poa unilateralis</i>	ocean bluff bluegrass	grassland; coastal bluffs, rock outcrops	perennial (cespitose)
<i>Polypogon interruptus</i> *	ditch beard grass	low-lying damp places	perennial (clumped)
<i>Polypogon monspeliensis</i> *	rabbitfoot grass	low-lying, vernal wet places	annual
<i>Rytidosperma penicillatum</i> *	hairy oatgrass	disturbed sites	perennial (cespitose)
<i>Stipa lepida</i>	foothill needlegrass	scrub; grassland	perennial (cespitose)
<i>Stipa pulchra</i>	purple needlegrass	grassland	perennial (cespitose)
<i>Trisetum canescens</i>	tall false oat	moist areas	perennial (cespitose)
Ruscaceae (Butcher's-groom Family) 2 taxa			
<i>Maianthemum racemosum</i>	false Solomon's-seal	woodland, forest	<u>perennial (rhizome)</u>
<i>Maianthemum stellatum</i>	false Solomon's-seal	moist sites; scrub; woodland; forest	perennial (rhizome)
Themidaceae (Brodiaea Family) 5 taxa			
<i>Brodiaea terrestris</i> ssp. <i>terrestris</i>	ground brodiaea	grassland; open woodland	perennial (corm)
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	blue dicks	grassland; open sites, banks	perennial (corm)
<i>Dichelostemma congesta</i>	ookow	woodland slopes	perennial (corm)
<i>Triteleia laxa</i>	lthuriel's spear	dry flats, slopes in scrub, woodland	perennial (corm)

<i>Triteleia peduncularis</i>	long-rayed brodiaea	wet grassland; marshes	perennial (corm)
Typhaceae (Cattail Family) including Sparganiaceae (Best, et al.) - 2 taxa			
<i>Sparganium erectum</i> ssp. <i>stoloniferum</i>	bur-reed	ponds, marshes, streams	perennial (rhizome)
<i>Typha latifolia</i>	soft-flag; broad-leaved cattail	pond edges, marshes	perennial (rhizome)

Notes:

1. Taxon not documented as occurring specifically at Salt Point, Horseshoe Cove, Gerstle Cove, Stump Beach in Best, et al., A Flora of Sonoma County (1996).

2. Nomenclature or spelling according to Best, et al. (1996)

3. Nomenclature according to Patterson, et al. (Madrono 2002)

α left column: section/group of vascular plants (as in Jepson Manual, 2nd ed.), plant family, and where applicable, California Rare Plant Rank

Total: ~ 536 taxa

Documentation of taxa according to Best, et al. (Flora of Sonoma County, 1996), and numerous personal observations by many contributors
Taxonomic nomenclature according to the Jepson Herbarium: Jepson Flora Project: Jepson eFlora, 06/01/2015
Numbers in left hand column indicate State Rare Rank

List edited 08/02/2019 by P. Warner