

Vascular Plants of MacKerricher State Park <sup>1</sup>			2023
Rank/Family	Binomial	Common Name	Glass Bch. only
<b>FERNS</b>			
<b>Athyriaceae</b>			
	<i>Athyrium filix-femina</i> var. <i>cyclosorum</i>	lady fern	
<b>Azollaceae</b>			
	<i>Azolla filiculoides</i>	mosquito fern	
<b>Blechnaceae</b>			
	<i>Struthiopteris spicant</i>	deer fern	
	<i>Woodwardia fimbriata</i>	giant chain fern	
<b>Cystopteridaceae</b>			
	<i>Cystopteris fragilis</i>	fragile fern	
<b>Dennstaedtiaceae</b>			
	<i>Pteridium aquilinum</i> var. <i>pubescens</i>	bracken	
<b>Dryopteridaceae</b>			
	<i>Dryopteris arguta</i>	wood fern	
	<i>Polystichum munitum</i>	western sword fern	
<b>Equisetaceae</b>			
	<i>Equisetum arvense</i>	field horsetail	
	<i>Equisetum hyemale</i> ssp. <i>affine</i>	common scouring-rush	
	<i>Equisetum laevigatum</i>	smooth scouring-rush	
	<i>Equisetum telmateia</i> ssp. <i>braunii</i>	giant horsetail	
<b>Ophioglossaceae</b>			
	<i>Sceptridium multifidum</i>	moonwort; grape fern	
<b>Polypodiaceae</b>			
	<i>Polypodium calirhiza</i>	polypody fern	
	<i>Polypodium scolieri</i>		
<b>Pteridaceae</b>			
	<i>Pentagramma triangularis</i>	goldback fern	
<b>GYMNOSPERMS</b>			
<b>Cupressaceae</b>			
	<i>Hesperocyparis macrocarpa</i> *	Monterey cypress	
	<i>Sequoia sempervirens</i>	coast redwood	
<b>Pinaceae</b>			
	<i>Abies grandis</i>	grand fir	
	<i>Pinus contorta</i> ssp. <i>contorta</i>	shore pine; beach pine	
	<i>Pinus muricata</i>	Bishop pine	
	<i>Pinus radiata</i> *	Monterey pine	
	<i>Pseudotsuga menziesii</i>	Douglas-fir	
<b>NYMPHAEALES</b>			
<b>Nymphaeaceae</b>			
	<i>Nuphar polysepala</i>	yellow pond-lily	
<b>EUDICOTS</b>			
<b>Aizoaceae</b>			
	<i>Carpobrotus chilensis</i> *	sea fig; iceplant	
	<i>Carpobrotus edulis</i> *	Hottentot-fig; iceplant	
	<i>Lampranthus spectabilis</i> *	redflush iceplant	
	<i>Tetragonia tetragonioides</i> *	New Zealand spinach	

<b>Anacardiaceae</b>			
	<i>Toxicodendrom diversilobum</i>	poison-oak	
<b>Apiaceae</b>			
	<i>Angelica hendersonii</i>	Henderson angelica	
	<i>Angelica lucida</i>	wild celery	
	<i>Anthriscus caucalis*</i>	bur chervil	
	<i>Cicuta douglasii</i>	water hemlock	
	<i>Conioselinum pacificum</i>	conioselinum	
	<i>Conium maculatum*</i>	poison hemlock	
	<i>Daucus carota*</i>	Queen Anne's-lace	
	<i>Daucus pusillus</i>	rattlesnake weed	
	<i>Eryngium armatum</i>	Coyote Thistle, Coast Button celery	
	<i>Heracleum maximum</i>	cow parsnip	
	<i>Ligusticum apiifolium</i>	celery-leaved lovage	x
	<i>Oenanthe sarmentosa</i>	water parsley	
	<i>Osmorhiza berteroi</i>	sweet cicely	
	<i>Sanicula arctopoides</i>	footsteps-of-spring; bear-foot sanicle	
	<i>Sanicula crassicaulis</i>	snakeroot	
	<i>Scandix pecten-veneris*</i>	Venus' needle	
	<i>Yabea microcarpa</i>	yabea	
<b>Apocynaceae</b>			
	<i>Vinca major*</i>	periwinkle	
<b>Aquifoliaceae</b>			
	<i>Ilex aquifolium*</i>	English holly	
<b>Araliaceae</b>			
	<i>Hedera helix*</i>	English ivy	
	<i>Hydrocotyle ranunculoides</i>	marsh pennywort	
<b>Asteraceae</b>			
	<i>Achillea millefolium</i>	yarrow	
	<i>Ambrosia chamissonis</i>	beach bur	
	<i>Anaphalis margaritacea</i>	pearly everlasting	
	<i>Artemisia douglasiana</i>	mugwort	
	<i>Artemisia pycnocephala</i>	dune sagebrush	
	<i>Baccharis glutinosa</i>	salt marsh baccharis	
	<i>Baccharis pilularis ssp. consanguinea</i>	coyote brush	
	<i>Bellis perennis*</i>	English daisy	
<b>1B.2</b>	<b><i>Blennosperma nanum var. robustum</i></b>	Pt. Reyes blennosperma	x
	<i>Cichorium intybus*</i>	chicory	
	<i>Cirsium arvense*</i>	Canada thistle	
	<i>Cirsium douglasii var. douglasii</i>	swamp thistle	
	<i>Cirsium quercetorum</i>	brownie thistle	
	<i>Cirsium vulgare*</i>	bull thistle	
	<i>Corethrogyne filaginifolia</i>	California-aster	
	<i>Cotula coronopifolia*</i>	brass-buttons	
	<i>Delairea odorata*</i>	Cape-ivy	
	<i>Erigeron canadensis</i>	Canada horseweed	
	<i>Erigeron glaucus</i>	seaside daisy	
	<i>Erigeron sumatrensis*</i>	tropical horseweed	
	<i>Eriophyllum lanatum var. arachnoideum</i>	woolly sunflower	

	<i>Eriophyllum staechadifolium</i>	lizardtail; seaside woolly sunflower	
	<i>Euchiton sphaericus*</i>	Japanese cudweed	
	<i>Gamochaeta ustulata</i>	purple everlasting	
	<i>Glebionis segetum*</i>	corn chrysanthemum	
	<i>Gnaphalium palustre</i>	western marsh cudweed	
	<i>Grindelia stricta</i> var. <i>platyphylla</i>	gumplant	
	<i>Helenium bolanderi</i>	Bolander's sneezeweed	
<b>1B.2</b>	<b><i>Hesperervax sparsiflora</i> var. <i>brevifolia</i></b>	short-leaved evax	
	<i>Hesperervax sparsiflora</i> var. <i>sparsiflora</i>	short-leaved evax	
	<i>Heterotheca sessiliflora</i> ssp. <i>bolanderi</i>	Bolander goldenaster	
	<i>Hypochaeris glabra*</i>	smooth cat's-ear	
	<i>Hypochaeris radicata*</i>	rough cat's-ear	
	<i>Lasthenia californica</i> ssp. <i>californica</i>	California goldfields	
<b>1B.2</b>	<b><i>Lasthenia californica</i> ssp. <i>macrantha</i></b>	perennial goldfields	
	<i>Lasthenia minor</i>	small-headed goldfields	
	<i>Layia gaillardiioides</i>	woodland layia	
	<i>Layia platyglossa</i>	shiny layia	
	<i>Leontodon saxatilis*</i>	false dandelion	
	<i>Leucanthemum maximum*</i>	Shasta daisy	
	<i>Leucanthemum vulgare*</i>	ox-eye daisy	
	<i>Madia glomerata</i>		
	<i>Madia sativa</i>	coast tarweed	
	<i>Matricaria discoidea*</i>	pineapple weed	
	<i>Microseris bigelovii</i>	Bigelow microseris	x
	<i>Petasites frigidus</i> var. <i>palmatus</i>	western coltsfoot	
	<i>Pseudognaphalium luteoalbum*</i>	white cudweed	
	<i>Pseudognaphalium ramosissimum</i>	pink cudweed	
	<i>Pseudognaphalium stramineum</i>	Chilean cudweed	
	<i>Senecio glomeratus*</i>	Australian fireweed	
	<i>Senecio jacobaea*</i>	tansy ragwort	
	<i>Senecio minimus*</i>	Australian fireweed	
	<i>Senecio sylvaticus*</i>	groundsel	
	<i>Senecio vulgaris*</i>	groundsel	
	<i>Solidago elongata</i>	Canada goldenrod	
	<i>Solidago spathulata</i>	goldenrod	
	<i>Solidago velutina</i> ssp. <i>californica</i>	California goldenrod	
	<i>Soliva sessilis*</i>	soliva	
	<i>Sonchus asper</i> ssp. <i>asper*</i>	prickly sow-thistle	
	<i>Sonchus oleraceus*</i>	common sow-thistle	
	<i>Symphyotrichum chilense</i>	California aster	
	<i>Wyethia angustifolia</i>	narrow-leaved mule's-ears	
<b>Berberidaceae</b>			
	<i>Berberis darwinii*</i>	Darwin barberry	
	<i>Berberis nervosa</i>	Cascade barberry	
<b>Betulaceae</b>			
	<i>Alnus rubra</i>	red alder	
	<i>Corylus cornuta</i> ssp. <i>californica</i>	California hazelnut	
<b>Boraginaceae</b>			
	<i>Adelinia grandis</i> ( <i>Cynoglossum grande</i> )	hound's-tongue	

	<i>Amsinckia intermedia</i> ( <i>Amsinckia menziesii</i> var. <i>intermedia</i> )	fiddleneck	
	<i>Amsinckia spectabilis</i>	coast fiddleneck	
	<i>Cryptantha leiocarpa</i>	beach cryptantha	
	<i>Myosotis latifolia</i> *	forget-me-not	
	<i>Plagiobothrys reticulatus</i> var. <i>reticulatus</i>	reticulate popcorn flower	
	<i>Plagiobothrys</i> sp.	popcorn flower	
<b>Brassicaceae</b>			
	<i>Brassica nigra</i> *	black mustard	
	<i>Brassica oleracea</i> *	cabbage	x
	<i>Cakile edentula</i> *	sea rocket	
	<i>Cakile maritima</i> *	European sea rocket	
	<i>Cardamine californica</i>	milk maids; toothwort	
	<i>Cardamine oligosperma</i>	bitter cress	
<b>1B.2</b>	<b><i>Erysimum concinnum</i></b>	headland wallflower	
<b>FE</b>	<b><i>Erysimum menziesii</i></b>	Menzies wallflower	
	<i>Erysimum menziesii</i> X <i>concinnum</i>	wallflower hybrid	
	<i>Lepidium didymum</i> *	swine cress	
	<i>Lepidium nitidum</i>	peppergrass	
	<i>Lobularia maritima</i> *	sweet alyssum	
	<i>Matthiola incana</i> *	stock	
	<i>Nasturtium officinale</i>	water cress	
	<i>Raphanus raphanistrum</i> *	wild radish	
	<i>Raphanus sativus</i> *	wild radish	
	<i>Sisymbrium officinale</i> *	hedge mustard	
<b>Campanulaceae</b>			
<b>1B.2</b>	<i>Campanula californica</i>	swamp harebell	
<b>Caprifoliaceae</b>			
	<i>Lonicera hispidula</i>	twining honeysuckle	
	<i>Lonicera involucrata</i> var. <i>ledebourii</i>	twinberry	
	<i>Symphoricarpos albus</i> var. <i>laevigatus</i>	snowberry	
<b>Caryophyllaceae</b>			
	<i>Cerastium arvense</i> ssp. <i>strictum</i> (or <i>C. viride</i> )	field chickweed	
	<i>Cerastium fontanum</i> ssp. <i>vulgare</i> *	common chickweed	
	<i>Cerastium glomeratum</i> *	mouse-eared chickweed	
	<i>Minuartia californica</i>	California sandwort	
	<i>Polycarpon tetraphyllum</i> var. <i>t.</i> *	four-leaved allseed	
	<i>Sagina apetala</i>	dwarf pearlwort	
	<i>Sagina maxima</i> ssp. <i>crassicaulis</i>	thick-stemmed pearlwort	x
	<i>Sagina procumbens</i>	Arctic pearlwort	
	<i>Silene gallica</i> *	windmill pink; catchfly	
	<i>Spergula arvensis</i> *	stickwort	
	<i>Spergularia macrotheca</i> var. <i>longistyla</i>	sand-spurrey	
	<i>Spergularia rubra</i> *	red sand-spurrey	
	<i>Stellaria crispa</i>	chickweed	
	<i>Stellaria littoralis</i>	shore starwort	
	<i>Stellaria media</i> *	common chickweed	
	<i>Stellaria nitens</i>	shining chickweed	
	<i>Stellaria pallida</i> *	chickweed	
<b>Chenopodiaceae</b>			

	<i>Atriplex leucophylla</i>	sea-scale	
	<i>Atriplex prostrata</i> *	fat-hen	
	<i>Dysphania ambrosioides</i> *	Mexican-tea; epazote	
<b>Convolvulaceae</b>			
	<i>Calystegia soldanella</i>	beach morning glory	
	<i>Convolvulus arvensis</i> *	bindweed	
	<i>Cuscuta occidentalis</i>	western dodder	
<b>Crassulaceae</b>			
	<i>Crassula connata</i>	pygmy weed	
	<i>Crassula tillaea</i> *	moss pygmy weed	
	<i>Dudleya farinosa</i>	North Coast dudleya	
<b>Cucurbitaceae</b>			
	<i>Marah oregana</i>	coast manroot; wild cucumber	
<b>Dipsacaceae</b>			
	<i>Dipsacus fullonum</i> *	wild teasel	
<b>Droseraceae</b>			
	<i>Drosera rotundifolia</i>	round-leaved sundew	
<b>Ericaceae</b>			
	<i>Arbutus menziesii</i>	Pacific madrone	
	<i>Arctostaphylos columbiana</i>	hairy manzanita	
	<i>Gaultheria shallon</i>	salal	
	<i>Rhododendron columbianum</i>	Labrador tea	
	<i>Rhododendron macrophyllum</i>	California rose-bay	
	<i>Vaccinium ovatum</i>	blue (black) huckleberry	
	<i>Vaccinium parvifolium</i>	red huckleberry	
<b>Euphorbiaceae</b>			
	<i>Euphorbia lathyris</i> *	caper spurge; gopher plant	
	<i>Euphorbia peplus</i> *	petty spurge	
	<i>Euphorbia spathulata</i>	warty spurge	
<b>Fabaceae</b>			
	<i>Acmispon americanus</i> var. <i>americanus</i>	Spanish-clover	
	<i>Acmispon glaber</i>	deerweed	
	<i>Acmispon parviflorus</i>	miniature lotus	
	<i>Cytisus scoparius</i> *	Scotch broom	
	<i>Genista monspessulana</i> *	French broom	
<b>4.2</b>	<b><i>Hosackia gracilis</i></b>	harlequin lotus	
	<i>Hosackia oblongifolia</i> var. <i>oblongifolia</i>	narrow-leaved lotus	
	<i>Hosackia pinnata</i>	lotus	
	<i>Hosackia rosea</i>	rose-flowered lotus	
	<i>Lathyrus tingitanus</i> *	Tangier pea	
	<i>Lathyrus vestitus</i> ssp. <i>ochropetalus</i>	silky beach pea	
	<i>Lotus corniculatus</i> *	bird's-foot trefoil	
	<i>Lupinus arboreus</i> *	yellow bush lupine	
	<i>Lupinus bicolor</i>	dove lupine; bicolored lupine	
	<i>Lupinus chamissonis</i> *	silver dune lupine	
	<i>Lupinus littoralis</i>	bluff lupine	
	<i>Medicago arabica</i> *	spotted burclover	
	<i>Medicago lupulina</i> *	black medick	
	<i>Medicago polymorpha</i> *	California burclover	

	<i>Melilotus albus*</i>	white sweetclover	
	<i>Melilotus indicus*</i>	yellow sweetclover	
	<i>Trifolium barbigerum</i>	bearded clover	
	<i>Trifolium depauperatum</i>	balloon clover	
	<i>Trifolium dubium*</i>	hop clover	
	<i>Trifolium fucatum</i>	bull clover	x
	<i>Trifolium glomeratum*</i>	clustered clover	
	<i>Trifolium gracilentum</i>	pinpoint clover	
	<i>Trifolium hirtum*</i>	rose clover	
	<i>Trifolium macraei</i>	MacRae clover	
	<i>Trifolium microcephalum</i>	small-headed clover	
	<i>Trifolium repens*</i>	white clover	
	<i>Trifolium subteraneum*</i>	subterranean clover	
	<i>Trifolium variegatum</i>	white-tip clover	
	<i>Trifolium willdenovii</i>	tomcat clover	
	<i>Trifolium wormskioldii</i>	cow clover	
	<i>Vicia americana ssp. americana (Vicia americana)</i>	American vetch	
	<i>Vicia cracca*</i>	bird vetch	
	<i>Vicia gigantea</i>	giant vetch	
	<i>Vicia sativa ssp. nigra*</i>	winter vetch	
<b>Fagaceae</b>			
	<i>Notholithocarpus densiflorus</i>	tanoak	
	<i>Quercus garryana</i>	Oregon white oak	
<b>Garryaceae</b>			
	<i>Garrya elliptica</i>	coast silktassel	
<b>Gentianaceae</b>			
	<i>Centaurium erythraea*</i>	European centaury	
	<i>Gentiana sceptrum</i>	king's scepter gentian	
	<i>Zeltnera davyi</i>	Davy centaury	
<b>Geraniaceae</b>			
	<i>Erodium botrys*</i>	stork's-bill	
	<i>Erodium cicutarium*</i>	filaree	
	<i>Geranium core-core*</i>	geranium	
	<i>Geranium carolinianum</i>	Carolina geranium	
	<i>Geranium dissectum*</i>	cut-leaf geranium	
	<i>Geranium molle*</i>	geranium	
<b>Grossulariaceae</b>			
	<i>Ribes menziesii</i>	Menzies gooseberry	
	<i>Ribes sanguineum var. glutinosum</i>	pink-flowering currant	
<b>Haloragaceae</b>			
	<i>Myriophyllum aquaticum*</i>	parrot's-feather	
<b>Heliotropiaceae</b>			
	<i>Heliotropium curassavicum</i>	salt heliotrope	
<b>Hydrangeaceae</b>			
	<i>Whipplea modesta</i>	modesty; yerba de selva	

<b>Hydrophyllaceae</b>			
	<i>Nemophila heterophylla</i> (sp. ID)	canyon nemophila	ID?
	<i>Nemophila menziesii</i> ssp. <i>menziesii</i>	baby blue-eyes	
	<i>Phacelia bolanderi</i>	Bolander phacelia	
	<i>Phacelia californica</i>	California phacelia	
	<i>Phacelia distans</i>	fern-leaf phacelia	
<b>1B.2</b>	<b><i>Phacelia insularis</i> var. <i>continentis</i></b>	North Coast phacelia	
	<i>Phacelia malvifolia</i>	stinging phacelia	x
<b>Hypericaceae</b>			
	<i>Hypericum anagalloides</i>	tinker's penny	
<b>Lamiaceae</b>			
	<i>Clinopodium douglasii</i>	yerba buena	
	<i>Mentha canadensis</i>	American cornmint	
	<i>Mentha pulegium</i> *	pennyroyal	
	<i>Mentha spicata</i> *	spearmint	
	<i>Pogogyne zizyphoroides</i>	Sacramento beardstyle	
	<i>Prunella vulgaris</i> var. <i>lanceolata</i>	selfheal	
	<i>Stachys chamissonis</i>	bog hedge-nettle	
	<i>Stachys rigida</i>	hedge-nettle	
<b>Lentibulariaceae</b>			
	<i>Utricularia macrorhiza</i>	common bladderwort	
<b>Linaceae</b>			
	<i>Linum bienne</i> *	common blue flax	
<b>Lythraceae</b>			
	<i>Lythrum hyssopifolia</i> *	common loosestrife	
<b>Malvaceae</b>			
	<i>Alcea rosea</i> *	hollyhock	
	<i>Malva arborea</i> *	tree mallow	
	<i>Malva sylvestris</i> *	high mallow	
	<i>Modiola caroliniana</i> *	Carolina modiola	
	<i>Sidalcea malviflora</i> ssp. <i>malviflora</i>	checker mallow	
<b>Menyanthaceae</b>			
	<i>Menyanthes trifoliata</i>	bogbean	
<b>Montiaceae</b>			
	<i>Calandrinia menziesii</i>	red maids	
	<i>Claytonia exigua</i> ssp. <i>exigua</i>	claytonia	
	<i>Claytonia parviflora</i> ssp. <i>parviflora</i>	claytonia	
	<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	miner's lettuce	
<b>Myricaceae</b>			
	<i>Morella californica</i>	Pacific wax myrtle	
<b>Myrsinaceae</b>			
	<i>Lysimachia arvensis</i> *	scarlet pimpernel	
	<i>Lysimachia latifolia</i>	woodland star	
<b>Myrtaceae</b>			
	<i>Eucalyptus globulus</i> *	Tasmanian bluegum	
<b>Nyctaginaceae</b>			
	<i>Abronia latifolia</i>	sand verbena	
<b>1B.2</b>	<b><i>Abronia umbellata</i> ssp. <i>breviflora</i></b>	pink sand verbena	

<b>Onagraceae</b>			
	<i>Camissonia strigulosa</i>	strigose suncup	
	<i>Camissoniopsis cheiranthifolia</i> ssp. <i>cheiranthifolia</i>	beach evening primrose	
	<i>Camissoniopsis cheiranthifolia</i> ssp. <i>suffruticosa</i>	beach evening primrose	
	<i>Chamerion angustifolium</i> ssp. <i>circumvagum</i>	fireweed	
	<i>Clarkia davyi</i>	Davy clarkia	
	<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i>	four-spot	
	<i>Epilobium brachycarpum</i>	tall annual willow-herb	
	<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i>	hairy willow-herb	
	<i>Epilobium ciliatum</i> ssp. <i>watsonii</i>	Watson's willow-herb	
	<i>Ludwigia hexapetala</i>	Uruguayan primrose-willow	
	<i>Ludwigia palustris</i>	marsh seedbox	
	<i>Oenothera elata</i> ssp. <i>hookeri</i>	Hooker's evening primrose	
<b>1B.1</b>	<b><i>Oenothera wolfii</i></b>	Wolf's evening-primrose	
	<i>Taraxia ovata</i>	sun cup	
<b>Orobanchaceae</b>			
	<i>Aphyllon californicum</i>	California broom-rape	
<b>4.2</b>	<b><i>Castilleja ambigua</i> ssp. <i>ambigua</i></b>	Johnny-nip	
	<i>Castilleja attenuata</i>	valley tassels	
	<i>Castilleja exserta</i> ssp. <i>exserta</i>	purple owl's-clover	
	<i>Castilleja exserta</i> ssp. <i>latifolia</i>	purple owl's-clover	
<b>1B.2</b>	<b><i>Castilleja mendocinensis</i></b>	Mendocino coast paintbrush	
	<i>Castilleja wightii</i>	Wight paintbrush	
	<i>Parentucellia viscosa</i> *	yellow glandweed	
	<i>Triphysaria eriantha</i> var. <i>rosea</i>	Johnny-tuck	
	<i>Triphysaria versicolor</i> ssp. <i>versicolor</i>	butter-and-eggs	
<b>Oxalidaceae</b>			
	<i>Oxalis pes-caprae</i> *	Bermuda-buttercup	
	<i>Oxalis pilosa</i>	oxalis	
	<i>Oxalis corniculata</i> *	creeping woodsorrel	
	<i>Oxalis oregana</i>	redwood sorrel	
	<i>Oxalis rubra</i> *	red sorrel	
<b>Papaveraceae</b>			
	<i>Dicentra formosa</i>	bleeding heart	
	<i>Eschscholzia californica</i>	California poppy	
	<i>Platystemon californicus</i>	cream cups	
<b>Phrymaceae</b>			
	<i>Erythranthe guttata</i>	common monkeyflower	
<b>Plantaginaceae</b>			
<b>1B.2</b>	<b><i>Collinsia corymbosa</i></b>	round-headed Chinese houses	
	<i>Digitalis purpurea</i> *	foxglove	
	<i>Hippurus vulgaris</i>	mare's-tail	
	<i>Kickxia spuria</i> *	fluellin	
	<i>Nuttallanthus texanus</i>	Texas toadflax	
	<i>Plantago coronopus</i> *	cutleaf plantina	
	<i>Plantago elongata</i> (=P. <i>bigelovii</i> )	prairie plantain	
	<i>Plantago erecta</i>	dwarf plantain	
	<i>Plantago lanceolata</i> *	English plantain	



	<i>Plantago maritima</i>	coast plantain	
	<i>Plantago subnuda</i>	marsh plantain	
	<i>Veronica americana</i>	American brooklime	
	<i>Veronica scutellata</i>	marsh speedwell	
<b>Plumbaginaceae</b>			
	<i>Armeria maritima</i> ssp. <i>californica</i>	sea pink	
<b>Polemoniaceae</b>			
<b>1B.1</b>	<i>Gilia capitata</i> ssp. <i>chamissonis</i>	blue coast gilia	
<b>1B.2</b>	<i>Gilia millefoliata</i>	dark-eyed gilia	
<b>Polygonaceae</b>			
<b>FE</b>	<i>Chorizanthe howellii</i>	Howell spineflower	
	<i>Eriogonum latifolium</i>	coast buckwheat	
	<i>Polygonum aviculare</i> ssp. <i>depressum</i> *	common knotweed	
	<i>Polygonum paronychia</i>	dune knotweed	
	<i>Rumex acetosella</i> *	sheep sorrel	
	<i>Rumex crassus</i>	dune dock	
	<i>Rumex crispus</i> *	curly dock	
	<i>Rumex obtusifolius</i> *	bitter dock	
<b>Ranunculaceae</b>			
	<i>Aquilegia formosa</i>	columbine	
	<i>Delphinium decorum</i> ssp. <i>decorum</i>	larkspur	
	<i>Ranunculus californicus</i>	California buttercup	
	<i>Ranunculus occidentalis</i>	buttercup	
	<i>Ranunculus orthorhynchus</i>	marsh buttercup	
	<i>Ranunculus repens</i> *	creeping buttercup	
	<i>Thalictrum fendleri</i> var. <i>polycarpum</i>	meadow-rue	
<b>Rhamnaceae</b>			
<b>4.3</b>	<i>Ceanothus gloriosus</i> var. <i>gloriosus</i>	Pt. Reyes ceanothus	
	<i>Ceanothus thrysiflorus</i>	blue blossom	
	<i>Frangula californica</i> ssp. <i>californica</i>	California coffeeberry	
	<i>Frangula purshiana</i>	Cascara	
<b>Rosaceae</b>			
	<i>Acaena californica</i> ( <i>Acaena pinnatifida</i> var. <i>c.</i> )	California acaena	
	<i>Amelanchier alnifolia</i> var. <i>semiintegrifolia</i>	service berry	
	<i>Aphanes occidentalis</i>	western lady's-mantle	
	<i>Comarum palustre</i>	purple marsh cinquefoil	
	<i>Cotoneaster franchetii</i> *	cotoneaster	
	<i>Cotoneaster lacteus</i> *	cotoneaster	
	<i>Fragaria chiloensis</i>	beach strawberry	
	<i>Fragaria vesca</i>	wood strawberry	
	<i>Heteromeles arbutifolia</i>	Toyon (Tollen), Christmas berry	
<b>1B.2</b>	<i>Horkelia marinensis</i>	Pt. Reyes horkelia	
	<i>Malus sylvestris</i> *	domestic apple	
	<i>Oemleria cerasiformis</i>	oso berry	
	<i>Potentilla anserina</i> ssp. <i>pacifica</i>	beach cinquefoil	
	<i>Rosa nutkana</i> var. <i>nutkana</i>	Nootka rose	
	<i>Rosa rubiginosa</i> *	sweet-brier	
	<i>Rubus armeniacus</i> *	Himalayan blackberry	
	<i>Rubus parviflorus</i>	thimbleberry	

	<i>Rubus spectabilis</i>	salmonberry	
	<i>Rubus ursinus</i>	California blackberry	
<b>Rubiaceae</b>			
	<i>Galium aparine</i>	bedstraw; goosegrass	
	<i>Galium trifidum</i>	bedstraw	
<b>Salicaceae</b>			
	<i>Salix hookeriana</i>	coastal willow	
	<i>Salix laevigata</i>	red willow	
	<i>Salix lasiolepis</i>	arroyo willow	
	<i>Salix lasiandra</i> ssp. <i>lasiandra</i>	shining willow	
	<i>Salix sitchensis</i>	Sitka willow	
<b>Saxifragaceae</b>			
	<i>Tolmiea diplomenziesii</i>	pig-a-back plant	
<b>Scrophulariaceae</b>			
	<i>Scrophularia californica</i>	California figwort; bee plant	
<b>Solanaceae</b>			
	<i>Solanum americanum</i>	American nightshade	
<b>Urticaceae</b>			
	<i>Urtica dioica</i> ssp. <i>gracilis</i>	American stinging nettle	
<b>Valerianaceae</b>			
	<i>Plectritis congesta</i> ssp. <i>brachystemon</i>	spurflower	
<b>Viburnaceae</b>			
	<i>Sambucus racemosa</i> var. <i>racemosa</i>	red elderberry	
<b>Violaceae</b>			
	<i>Viola adunca</i> ssp. <i>adunca</i>	dog violet	
	<i>Viola sempervirens</i>	redwood violet	
<b>MONOCOTS</b>			
<b>Agavaceae</b>			
	<i>Camassia quamash</i> ssp. <i>breviflora</i>	small-flowered common camas	
<b>Alliaceae</b>			
	<i>Allium dichlamydeum</i>	coast onion	
	<i>Allium triquetrum</i> *	three-cornered leek	
	<i>Allium unifolium</i>	one-leaved onion	
<b>Amaryllidaceae</b>			
	<i>Amaryllis belladonna</i>	naked ladies	x
<b>Araceae</b>			
	<i>Lemna gibba</i>	swollen duckweed	
	<i>Lysichiton americanus</i>	yellow skunk-cabbage	
	<i>Spirodela punctata</i>	duckmeat	
	<i>Zantedeschia aethiopica</i> *	calla	
<b>Cyperaceae</b>			
	<i>Bolboschoenus maritimus</i> var. <i>paludosus</i>	salt marsh bulrush	
	<i>Carex aquatilis</i> var. <i>dives</i>	Sitka sedge	
	<i>Carex brevicaulis</i>	short-stemmed sedge	
	<i>Carex cusickii</i>	Cusick sedge	
	<i>Carex densa</i>	dense sedge	
	<i>Carex echinata</i> ssp. <i>phyllomanica</i>	coastal star sedge	

	<i>Carex obnupta</i>	slough sedge	
	<i>Carex pellita</i>	woolly sedge	
1B.2	<b><i>Carex saliniformis</i></b>	deceiving sedge	
	<i>Carex stipata</i> var. <i>stipata</i>	awl-fruited sedge	
	<i>Cyperus eragrostis</i>	nutsedge	
	<i>Eleocharis macrostachya</i>	common spikerush	
	<i>Isolepis cernua</i>	low lateral bulrush	
	<i>Rhynchospora alba</i>	white-flowered beaked-rush	
	<i>Schoenoplectus acutus</i> var. <i>occidentalis</i>	common tule	
	<i>Schoenoplectus californicus</i>	southern bulrush	
	<i>Schoenoplectus pungens</i> var. <i>longispicatus</i>	threesquare	
	<i>Scirpus microcarpus</i>	small-fruited bulrush	
<b>Hydrocharitaceae</b>			
	<i>Najas marina</i>	holly-leaved water-nymph	
<b>Iridaceae</b>			
	<i>Crocasmia Xcrocsmiiflora</i> *	montbretia	
	<i>Iris douglasiana</i>	Douglas iris	
	<i>Iris pseudacorus</i>	Water Iris	
	<i>Romulea rosea</i> var. <i>australis</i> *	rosy sand-crocus	
	<i>Sisyrinchium bellum</i>	blue-eyed grass	
	<i>Sisyrinchium californicum</i>	Californica golden-eyed grass	
<b>Juncaceae</b>			
	<i>Juncus articulatus</i> ssp. <i>articulatus</i>	jointed rush	
	<i>Juncus balticus</i> ssp. <i>ater</i>	Baltic rush	
	<i>Juncus bolanderi</i>	Bolander's rush	
	<i>Juncus breweri</i>	Brewer rush	
	<i>Juncus bufonius</i>	toad rush	
	<i>Juncus effusus</i> var. <i>pacificus</i>	Pacific rush	
	<i>Juncus ensifolius</i>	dagger rush	
	<i>Juncus hesperius</i>	coast rush	
	<i>Juncus lescurii</i>	San Francisco rush	
	<i>Juncus patens</i>	spreading rush	
	<i>Juncus phaeocephalus</i> var. <i>phaeocephalus</i>	brown-headed rush	
	<i>Juncus xiphioides</i>	iris-leaved rush	
	<i>Juncus</i> sp.	rush	
	<i>Luzula comosa</i>	hairy wood rush	
<b>Juncaginaceae</b>			
	<i>Triglochin concinna</i>	Utah arrow-grass	
	<i>Triglochin maritima</i>	seaside arrow-grass	
	<i>Triglochin scilloides</i>	flowering quillwort	
	<i>Triglochin striata</i>	three-ribbed arrow-grass	x
<b>Liliaceae</b>			
	<i>Fritillaria affinis</i>	checker lily	
1B.1	<b><i>Lilium maritimum</i></b>	coast lily	
	<i>Prosartes smithii</i>	fairy bells	
<b>Melanthiaceae</b>			
	<i>Toxicoscordion fremontii</i>	star lily	
	<i>Veratrum fimbriatum</i>	fringed false-hellebore	

<b>Orchidaceae</b>			
	<i>Calypso bulbosa</i>	calypso orchid	
	<i>Goodyera oblongifolia</i>	rattlesnake-plantain	
	<i>Piperia elegans</i>	hillside piperia	
	<i>Plantanthera leucostachys</i>	white bog orchid	
	<i>Spiranthes porrifolia</i>	creamy ladies-tresses	
	<i>Spiranthes romanzoffiana</i>	hooded ladies-tresses	
<b>Poaceae</b>			
<b>1B.2</b>	<b><i>Agrostis blasdalei</i></b>	Blasdale bentgrass	
	<i>Agrostis capillaris</i> *	colonial bentgrass	
	<i>Agrostis densiflora</i>	bentgrass	
	<i>Agrostis exarata</i>	spike bent grass	
	<i>Agrostis hallii</i>	Hall bent grass	x
	<i>Agrostis oregonensis</i>	Oregon bentgrass	
	<i>Aira caryophylla</i> *	silver European hairgrass	
	<i>Aira praecox</i> *	European hairgrass	
	<i>Ammophila arenaria</i> *	European beachgrass	
	<i>Anthoxanthum odoratum</i> *	sweet vernal grass	
	<i>Avena barbata</i> *	slender wild oats	
	<i>Avena fatua</i> *	wild oats	
	<i>Briza maxima</i> *	large quaking grass; rattlesnake grass	
	<i>Briza minor</i> *	little quaking grass	
	<i>Bromus diandrus</i> *	ripgut brome	
	<i>Bromus hordeaceus</i> *	soft chess	
	<i>Bromus sitchensis</i> var. <i>carinatus</i>	California brome	
	<i>Bromus sitchensis</i> var. <i>maritimus</i>	coastal brome	
	<i>Calamagrostis nutkaensis</i>	Pacific reed grass	
<b>2B.1</b>	<b><i>Calamagrostis stricta</i> ssp. <i>inexpansa</i></b>	slipstem reed grass	
	<i>Cortaderia jubata</i> *	jubatagrass	
	<i>Cynosurus echinatus</i> *	dogtail grass	
	<i>Dactylis glomerata</i> *	orchard grass	
	<i>Danthonia californica</i>	California oatgrass	
	<i>Deschampsia cespitosa</i>	tufted hairgrass	
	<i>Deschampsia danthonioides</i>	annual hairgrass	
	<i>Distichlis spicata</i>	salt grass	
	<i>Elymus glaucus</i> ssp. <i>virescens</i>	blue wildrye	
	<i>Elymus mollis</i>	California beachgrass	
	<i>Elymus pacificus</i>	dune wildrye	
	<i>Elymus triticoides</i> *	creeping wildrye	
	<i>Festuca arundinacea</i> *	tall fescue	
	<i>Festuca bromoides</i> *	brome fescue	
	<i>Festuca californica</i>	California fescue	
	<i>Festuca idahoensis</i>	Idaho fescue	
	<i>Festuca myuros</i> *	hairy rattail fescue	
	<i>Festuca perennis</i> *	perennial ryegrass	
	<i>Festuca rubra</i>	red fescue	
	<i>Glyceria Xoccidentalis</i>	western manna grass	
	<i>Holcus lanatus</i> *	purple velvet grass	
	<i>Hordeum brachyantherum</i> ssp. <i>californicum</i>	meadow barley	

	<i>Hordeum murinum</i> ssp. <i>leporinum</i> *	hare barley	
	<i>Lagurus ovata</i> *	Hare's tail grass	
	<i>Panicum acuminatum</i> var. <i>lindheimeri</i>	Lindheimer panic grass	
	<i>Phalaris californica</i>	California canary grass	
	<i>Poa annua</i> *	annual bluegrass	
	<i>Poa confinis</i>	beach bluegras	
	<i>Poa douglasii</i>	dune bluegrass	
	<i>Poa pratensis</i> ssp. <i>pratensis</i> *	Kentucky bluegrass	
	<i>Poa unilateralis</i>	ocean bluff bluegrass	
	<i>Polypogon interruptus</i> *	ditch beard grass	
	<i>Polypogon maritimus</i> *	Mediterranean beard grass	
	<i>Polypogon monspeliensis</i> *	annual beard grass	
	<i>Rytidosperma penicillatum</i> *	hairy oatgrass	
	<i>Torreyochloa pallida</i> var. <i>pauciflora</i>	weak mannagrass	
<b>Potamogetonaceae</b>			
	<i>Potamogeton nodosus</i> (ID?)	pondweed	
<b>Ruscaceae</b>			
	<i>Maianthemum dilatatum</i>	false lily-of-the-valley	
	<i>Maianthemum racemosum</i>	false Solomon's-seal	
	<i>Maianthemum stellatum</i>	false Solomon's-seal	
<b>Themidaceae</b>			
	<i>Brodiaea terrestris</i> ssp. <i>terrestris</i>	dwarf brodiaea	
	<i>Triteleia laxa</i>	Ithuriel's-spear	
<b>Typhaceae</b>			
	<i>Sparganium emersum</i> ssp. <i>emersum</i>	bur-reed	
	<i>Typha angustifolia</i>	narrow-leaved cattail	
	<i>Typha latifolia</i>	broad-leaved cattail	
<b>A - major plant groups, plant families, and where applicable, State Rare Plant Rank or federal status</b>			
FE = federally, state endangered & CNPS List 1B			
1B = CNPS List Status			
2 = CNPS List Status			
4 = CNPS List Status			
* = non-native to this ecosystem			
<sup>1</sup> Primary Sources: Teresa Sholars (2002, 2003, 2006, 2022), Plant Lists of MacKerricher State Park and Inglenook Fen; California State Parks Flora database; additional entries: Peter Warner; Steve Edwards (East Bay Regional Botanic Garden)			
Updated for taxa changes and additions 05/18/2022 Jim Gibson Updated for taxa changes and additions 06/05/2022 JG Updated for taxa changes and additions 05/01/2023 JG Updated for taxa changes and additions 05/14/2023 JG			