

## Stornetta Vascular Plant List - August 2017

Rank / Family	<i>Species Name</i>	Common Name
<b>LYCOPHYTES</b>		
<b>Isoetaceae</b>		
	<i>Isoetes howellii</i>	Quillwort
<b>FERNS</b>		
<b>Dennstaedtiaceae</b>		
	<i>Pteridium aquilinum</i> var. <i>pubescens</i>	Western bracken fern
<b>Dryopteridaceae</b>		
	<i>Athyrium filix-femina</i> ssp. <i>cyclosorum</i>	Western lady fern
	<i>Polystichum munitum</i>	Western sword fern
<b>Equisetaceae</b>		
	<i>Equisetum arvense</i>	Common horsetail
	<i>Equisetum hyemale</i> ssp. <i>affine</i>	Great/Common Scouring rush
<b>Polypodiaceae</b>		
	<i>Polypodium scolieri</i>	Leather-leaf fern
<b>GYMNOSPERMS</b>		
<b>Cupressaceae</b>		
<b>1B.2</b>	<i>Hesperocyparis macrocarpa</i>	Monterey Cypress
<b>Pinaceae</b>		
	<i>Pinus contorta</i> ssp. <i>contorta</i>	Shore Pine
	<i>Pinus muricata</i>	Bishop Pine
	<i>Pinus radiata</i>	Monterey Pine
<b>NYMPHAEALES</b>		
<b>Nymphaeaceae</b>		
	<i>Nuphar polysepala</i> ( <i>Nuphar lutea</i> ssp. <i>p.</i> )	Rocky mountain pond-lily
<b>EUDICOTS</b>		
<b>Adoxaceae</b>		
	<i>Sambucus racemosa</i>	Red Elderberry
<b>Aizoaceae</b>		
	<i>Carpobrotus edulis</i> *	Iceplant
<b>Anacardiaceae</b>		
	<i>Toxicodendron diversilobum</i>	Poison Oak
<b>Apiaceae</b>		
	<i>Angelica hendersonii</i>	Henderson's Angelica
	<i>Conium maculatum</i>	Poison Hemlock
	<i>Daucus pusillus</i>	Wild Carrot
	<i>Eryngium armatum</i>	Coastal button-celery
	<i>Heracleum maximum</i> ( <i>H.lanatum</i> =syn.)	Cow Parsnip, Giant hogweed
	<i>Heracleum maximum</i>	Cow Parsnip, Giant hogweed
	<i>Hydrocotyle ranunculoides</i>	Marsh pennywort
	<i>Ligusticum apiifolium</i>	Celery leaved lovage
	<i>Oenanthe sarmentosa</i>	Water parsley
	<i>Sanicula crassicaulis</i>	Pacific sanicle

<b>Araliaceae</b>	
<i>Hedera helix</i> *	English Ivy
<b>Asteraceae</b>	
<i>Achillea millefolium</i>	Yarrow
<i>Agoseris apargioides</i>	Coast dandelion
<i>Ambrosia chamissonis</i>	Dune burr, silver baeachweed
<i>Anaphalis margaritacea</i>	Pearly Everlating
<i>Artemisia douglasiana</i>	Mugwort
<i>Aster</i> sp. ?	Note: Genus no longer recognized in TJM
<i>Symphotrichum chilense</i> ( <i>Aster</i> c.)	California aster, Pacific aster
<i>Baccharis pilularis</i>	Coyote bush
<i>Carduus pycnocephalus</i> ssp. <i>pycnocephalus</i>	Italian thistle
<i>Cirsium arvense</i>	Canada thistle
<i>Cirsium vulgare</i>	Bull thistle
<i>Corethrogyne filaginifolia</i>	Common sand aster
<i>Cotula coronopifolia</i> *	Brass buttons
<i>Erigeron glaucus</i>	Seaside Daisy
<i>Eriophyllum lanatum</i>	Wooly sunflower
<i>Eriophyllum staechadifolium</i>	Seaside wooly sunflower, lizard tail
<i>Logfia filaginoides</i> ( <i>Filago californica</i> )	California cottonrose
<i>Gamochaeta ustulata</i>	Featherweed
<i>Gnaphalium</i> sp.	Cudweed
<i>Grindelia stricta</i>	Gum plant
<b>1B.2</b> <i>Hesperevax sparsiflora</i> var. <i>brevifolia</i>	Shortleaved Evax
<i>Hypochaeris glabra</i> *	Smooth cat's-ear
<i>Hypochaeris radicata</i> *	Rough cat's-ear
<i>Leontodon saxatilis</i> ( <i>L. taraxacoides</i> ) *	Hairy hawkbit
<i>Microseris bigelovii</i>	Coast microseris
<i>Petasites palmatus</i>	Western coltsfoot
<i>Pseudognaphalium luteoalbum</i> *	Jersey cudweed
<i>Senecio</i> sp.	Ragwort, Groundsel, Butterweed
<i>Senecio glomeratus</i>	Cutleaf burnweed
<i>Delairea odorata</i> ( <i>Senecio mikanioides</i> )	Cape Ivy
<i>Senecio minimus</i>	Coastal burnweed
<i>Senecio sylvaticus</i> *	Woodland groundsel/ragweed
<i>Silybum marianum</i> *	Milk Thistle
<i>Solidago spathulata</i>	Coast/Dune goldenrod
<i>Soliva sessilis</i> *	South american soliva
<i>Sonchus oleraceus</i> ( <i>S. asper</i> =syn.) *	Common sow thistle
<i>Sonchus oleraceus</i>	Common sow thistle
<i>Tanacetum bipinnatum</i> ( <i>T. camphoratum</i> )	Dune tansy
<i>Tragopogon dubius</i>	Yellow Salsify, Goat's beard
<b>Betulaceae</b>	
<i>Alnus rubra</i>	Red Alder
<i>Corylus cornuta</i> ssp. <i>californica</i> ( <i>Corylus</i> c. var. c.)	California/Beaked Hazelnut
<b>Boraginaceae</b>	
<i>Cryptantha leiocarpa</i>	Popcorn flower

	<i>Myosotis discolor</i> *	Changing Forget me not
	<i>Myosotis latifolia</i> *	Forget me not
	<i>Plagiobothrys bracteatus</i>	Bracted allocarya/popcorn flower
<b>Brassicaceae</b>		
	<i>Cardamine oligosperma</i>	Idaho bittercress
	<i>Nasturtium officinale</i>	Watercress
	<i>Raphanus sativus</i>	Wild radish
<b>Callitrichaceae</b>		
	<i>Callitriche marginata</i>	Winged water starwort
<b>Caprifoliaceae</b>		
	<i>Lonicera hispidula</i>	Pink Honeysuckle
	<i>Lonicera involucrata</i> var. <i>ledebourii</i>	Coast twinberry
	<i>Symphoricarpos mollis</i>	Snowberry
<b>Caryophyllaceae</b>		
	<i>Cerastium viride</i> ( <i>Cerastium arvense</i> )	Field chickweed/ Field mouse-eared chickweed
	<i>Petrorhagia prolifera</i> *	Pink Grass
	<i>Sagina maxima</i> ssp. <i>crassicaulis</i>	Thick stemmed/Beach pearlwort
	<i>Silene gallica</i> *	Common catchfly, Windmill pink
	<i>Spergularia macrotheca</i> var. <i>macrotheca</i>	Sticky sand spurry
	<i>Stellaria borealis</i> ssp. <i>Sitchana</i>	Sitka Starwort
	<i>Stellaria media</i> *	Common chickweed
<b>Chenopodiaceae</b>		
	<i>Atriplex triangularis</i> *	Fat-hen
<b>Clusiaceae</b>		
	<i>Hypericum anagalloides</i>	Tinker's penny
<b>Convolvulaceae</b>		
	<i>Calystegia purpurata</i>	Western morning glory
	<i>Calystegia soldanella</i>	Beach Morning glory
<b>Crassulaceae</b>		
	<i>Dudleya farinosa</i>	Bluff/Sea lettuce
	<i>Sedum spathulifolium</i>	Pacific Stonecrop
<b>Cucurbitaceae</b>		
	<i>Marah fabacea</i> ( <i>Marah fabaceus</i> )	California Man-root
	<i>Marah oregana</i> ( <i>Marah oreganus</i> )	Coast man-root, Wild cucumber
<b>Ericaceae</b>		
	<i>Gaultheria shallon</i>	Salal
	<i>Rhododendron columbianum</i>	Western Labrador tea
	<i>Vaccinium ovatum</i>	California huckleberry
<b>Fabaceae</b>		
	<i>Acmispon americanus</i> var. <i>americanus</i>	Spanish lotus
	<i>Acmispon parviflorus</i>	Hill lotus
<b>4.3</b>	<b><i>Hosackia gracilis</i></b>	Harlequin lotus
	<i>Lathyrus vestitus</i>	Common pacific pea
	<i>Lotus</i> sp.	
	<i>Lotus angustissimus</i> *	Slender lotus
	<i>Lotus corniculatus</i> *	Bird's foot trefoil
	<i>Lupinus</i> sp.	Lupine

<i>Lupinus arboreus</i>	Yellow Bush Lupine
<i>Lupinus bicolor</i>	Miniature Lupine
<i>Lupinus littoralis</i>	Seashore lupine
<i>Trifolium</i> sp.	
<i>Trifolium barbigerum</i>	Bearded clover
<i>Trifolium dubium</i> *	Little hop clover
<i>Trifolium gracilentum</i>	Pinpoint clover
<i>Trifolium albopurpureum</i> ( <i>T. macraei</i> var. <i>a.</i> )	Indian clover, Rancheria clover
<i>Trifolium subterraneum</i> *	Subterranean clover
<i>Trifolium wormskioldii</i>	Cow clover
<i>Vicia gigantea</i>	Giant vetch
<i>Vicia lutea</i> *	Yellow vetch
<i>Vicia sativa</i> ssp. <i>nigra</i> *	Narrow leaved vetch
<b>Garryaceae</b>	
<i>Garrya elliptica</i>	Coast silk tassel
<b>Gentianaceae</b>	
<i>Gentiana affinis</i> var. <i>ovata</i>	Oregon gentian
<b>Geraniaceae</b>	
<i>Erodium cicutarium</i> *	Redstem Filaree
<i>Erodium moschatum</i> *	Greenstem Filaree
<i>Geranium</i> sp.	Geranium
<b>Grossulariaceae</b>	
<i>Ribes sanguineum</i>	Red-flowering currant
<b>Hydrophyllaceae</b>	
<i>Phacelia heterophylla</i> var. <i>virgata</i> ( <i>Phacelia h.</i> ssp. <i>v.</i> )	Varied leaf phacelia
<b>Lamiaceae</b>	
<i>Mentha arvensis</i>	Field mint
<i>Prunella vulgaris</i>	Self heal
<i>Stachys ajugoides</i>	Hedge nettle
<i>Stachys chamissonis</i>	Hedge nettle
<i>Stachys rigida</i>	Rough hedge nettle
<b>Limnanthaceae</b>	
<i>Limnanthes douglasii</i> ssp. <i>douglasii</i>	Douglas' meadowfoam
<b>Linaceae</b>	
<i>Linum usitatissimum</i> *	Common flax
<b>Lythraceae</b>	
<i>Lythrum hyssopifolia</i> ( <i>Lythrum hyssopifolium</i> ) *	Hyssop loosestrife
<b>Montiaceae</b>	
<i>Calandrinia menziesii</i>	Red Maids
<b>Myricaceae</b>	
<i>Morella californica</i>	Wax Myrtle
<b>Nyctaginaceae</b>	
<i>Abronia latifolia</i>	Yellow sand verbena
<b>Onagraceae</b>	
<i>Eremothera chamaenerioides</i> ( <i>Camissonia c.</i> )	Long fruit suncup
<i>Epilobium ciliatum</i>	Slender willow herb

<b>Orobanchaceae</b>		
4.2	<i>Castilleja ambigua</i> ssp. <i>ambigua</i>	johnny-nip
1B.2	<i>Castilleja ambigua</i> ssp. <i>humboldtiensis</i>	Humboldt Bay owl's-clover
	<i>Castilleja wightii</i>	Wight's paintbrush
	<i>Triphysaria eriantha</i> ssp. <i>rosea</i>	Pinik butter 'n' eggs
<b>Papaveraceae</b>		
	<i>Eschscholzia californica</i>	California Poppy
<b>Phrymaceae</b>		
	<i>Erythranthe guttata</i> ( <i>Mimulus guttatus</i> )	Yellow/Seep monkey flower
	<i>Erythranthe moschata</i> ( <i>Mimulus moschatus</i> )	Musk monkey flower
<b>Plantaginaceae</b>		
	<i>Plantago coronopus</i> *	Cut leaf plantain
	<i>Plantago erecta</i>	California plantain
	<i>Plantago lanceolata</i> *	English plantain, Ribwort
	<i>Plantago maritima</i>	Maritime plantain
	<i>Plantago subnuda</i>	Coastal plantain
	<i>Veronica americana</i>	American brooklime
	<i>Veronica scutellata</i>	Marsh speedwell
<b>Plumbaginaceae</b>		
	<i>Armeria maritima</i> (ssp. <i>californica</i> ?)	Thrift, seapink
<b>Polygalaceae</b>		
	<i>Polygala californica</i>	California milkwort
<b>Polygonaceae</b>		
	<i>Eriogonum latifolium</i>	Coast buckwheat
	<i>Polygonum paronychia</i>	Dune knotweed
	<i>Rumex</i> sp.	Dock/Sorrel
	<i>Rumex acetosella</i> *	Sheeps sorrel
	<i>Rumex crispus</i> *	Curly dock
	<i>Rumex obtusifolius</i> *	Bitter dock
	<i>Rumex salicifolius</i>	Willow dock
<b>Primulaceae</b>		
	<i>Lysimachia arvensis</i> ( <i>Anagallis arvensis</i> ) *	Scarlet pimpernel
<b>Ranunculaceae</b>		
	<i>Aquilegia formosa</i>	Columbine
	<i>Ranunculus californicus</i>	Common buttercup
	<i>Ranunculus flammula</i>	Spearwort
	<i>Ranunculus repens</i> *	Crowfoot, Creeping buttercup
<b>Rhamnaceae</b>		
	<i>Ceanothus thyrsiflorus</i>	Blue blossom
	<i>Frangula californica</i>	California coffeeberry
<b>Rosaceae</b>		
	<i>Cotoneaster</i> sp. *	Cotoneaster
	<i>Cotoneaster lacteus</i> *	Late cotoneaster
	<i>Fragaria chiloensis</i>	Beach Strawberry
	<i>Fragaria vesca</i>	Wood strawberry
	<i>Holodiscus discolor</i>	Oceanspray
	<i>Malus</i> sp.	Apple

<i>Oemleria cerasiformis</i>	Oso berry
<i>Potentilla anserina</i> ssp. <i>pacifica</i>	Pacific silverweed
<i>Rosa nutkana</i> ssp. (var.) <i>nutkana</i>	Nootka Rose
<i>Rosa rubiginosa</i> *	Sweet-brier
<i>Rubus parviflorus</i>	Thimbleberry
<i>Rubus spectabilis</i>	Salmonberry
<i>Rubus ursinus</i>	California blackberry
<b>Rubiaceae</b>	
<i>Galium</i> sp.	Bedstraw
<i>Galium aparine</i>	Goose grass
<i>Galium californicum</i>	California bedstraw
<i>Galium trifidum</i>	Three petaled bedstraw
<i>Sherardia arvensis</i> *	Field madder
<b>Salicaceae</b>	
<i>Salix</i> sp.	Willow
<i>Salix hookeriana</i>	Coastal willow
<i>Salix lasiandra</i>	Pacific willow
<i>Salix sitchensis</i>	Coulter willow
<b>Scrophulariaceae</b>	
<i>Scrophularia californica</i>	California bee plant
<b>Solanaceae</b>	
<i>Solanum</i> sp.	Night shade
<b>Urticaceae</b>	
<i>Urtica dioica</i>	Stinging nettle
<b>Violaceae</b>	
<i>Viola adunca</i> ssp. <i>adunca</i> ( <i>Viola adunca</i> )	Western dog violet
<i>Viola sempervirens</i>	Redwood violet
<b>MONOCOTS</b>	
<b>Agavaceae</b>	
<i>Camassia quamash</i>	Camas
<i>Chlorogalum pomeridianum</i>	Amole, Soaproot, wavyleaf soap plant
<b>Alliaceae</b>	
<i>Allium dichlamydeum</i>	Coast onion
<b>Araceae</b>	
<i>Lysichiton americanus</i>	Skunk Cabbage
<b>Cyperaceae</b>	
<i>Carex</i> sp.	
<i>Carex gynodynamis</i>	Wonder woman sedge
<i>Carex leptopoda</i>	Slender-footed sedge
<i>Carex obnupta</i>	Slough sedge
<i>Cyperus</i> sp.	Flatsedge, nutsedge, Galingale
<i>Cyperus eragrostis</i>	Tall flat sedge
<i>Eleocharis acicularis</i>	Needle spikerush
<i>Eleocharis macrostachya</i>	Spike rush
<i>Isolepis</i> sp.	Bulrush species
<i>Scirpus microcarpus</i>	Mountain bog bulrush

<b>Iridaceae</b>	
<i>Iris douglasiana</i>	Douglas iris
<i>Sisyrinchium bellum</i>	Western Blue-eyed grass
<i>Sisyrinchium californicum</i>	Golden-eyed grass
<b>Juncaceae</b>	
<i>Juncus</i> sp.	Rush
<i>Juncus breweri</i>	Brewers rush
<i>Juncus bufonius</i>	Toad rush
<i>Juncus effusus</i>	Soft or Lamp Rush
<i>Juncus ensifolius</i>	Dagger rush, swordleaved rush
<i>Juncus occidentalis</i>	Western rush
<i>Juncus patens</i>	Spreading rush
<i>Juncus phaeocephalus</i>	Brownheaded rush
<i>Juncus phaeocephalus</i> var. <i>phaeocephalus</i>	Brownheaded rush
<i>Juncus tenuis</i>	Poverty or Slender rush
<i>Luzula comosa</i>	Hairy wood rush
<b>Juncaginaceae</b>	
<i>Triglochin</i> sp.	Arrow-grass
<b>Liliaceae</b>	
<i>Calochortus obispoensis</i>	San Luis Mariposa Lily
<i>Fritillaria affinis</i>	Checker Lily
<b>1B.1</b> <i>Lilium maritimum</i>	Coast Lily
<b>Melanthiaceae</b>	
<i>Toxicoscordion fremontii</i>	Fremont's star lily
<b>Poaceae</b>	
<i>Agrostis</i> sp.	Bent grass
<i>Aira caryophylla</i> *	Silver hair grass
<i>Aira praecox</i> *	Early hair grass
<i>Alopecurus</i> sp.	Foxtail
<i>Alopecurus aequalis</i> var. <i>aequalis</i>	Shortawn foxtail
<i>Ammophila arenaria</i> *	European beachgrass
<i>Anthoxanthum odoratum</i> *	Sweet vernal grass
<i>Briza maxima</i> *	Rattlesnake grass, Large quacking grass
<i>Briza minor</i> *	Annual quacking grass, Small quacking grass
<i>Bromus</i> sp.	Brome, Chess
<i>Bromus carinatus</i> var. <i>maritimus</i>	Maritime Brome
<i>Bromus diandrus</i> *	Ripgut grass
<i>Bromus hordeaceus</i> *	Soft Chess
<i>Bromus laevipes</i>	Chinook Brome, Woodland Brome
<i>Calamagrostis nutkaensis</i>	Pacific Reed Grass
<i>Danthonia</i> sp.	Oat grass
<i>Danthonia californica</i>	California oat grass
<i>Deschampsia cespitosa</i>	Tufted hair grass
<i>Distichlis spicata</i>	Salt grass
<i>Elymus glaucus</i>	Blue or Western wild-rye
<i>Festuca</i> sp.	Fescue, Rye grass
<i>Festuca bromoides</i> *	Brome Fescue

<i>Festuca microstachys</i> ( <i>Festuca confusa</i> )	Small fescue
<i>Festuca myuros</i> *	Rattail sixweeks grass
<i>Festuca perennis</i> *	Rye Grass
<i>Glyceria</i> sp.	Manna Grass
<i>Glyceria leptostachya</i>	Narrow Manna grass
<i>Holcus lanatus</i> *	Velvet Grass
<i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i>	Northern Barley
<i>Hordeum murinum</i> *	Wall barley
<i>Melica torreyana</i>	Torrey's Melic
<i>Phalaris arundinacea</i>	Reed canary grass
<i>Poa douglasii</i>	Sand dune blue grass
<i>Poa unilateralis</i>	San Francisco blue grass
<i>Polypogon monspeliensis</i> *	Annual beard grass, Rabbitfoot grass
<i>Stipa pulchra</i>	Purple needle grass
<i>Torreyochloa pallida</i> var. <i>pauciflora</i>	Weak Manna grass
<b>Potamogetonaceae</b>	
<i>Potamogeton natans</i>	Floating-leaved pondweed
<b>Ruscaceae</b>	
<i>Maianthemum stellatum</i>	Starry false lily of the valley
<b>Themidaceae</b>	
<i>Brodiaea terrestris</i>	Dwarf Brodiaea
<b>Bold = Rare or Sensitive species</b> * = non-native to this ecosystem	Changed species or family names in ( ) and 9 pt. Font
<b>272 Species</b>	
CNPS releve surveys Jennifer Buck-Diaz, Teresa Sholars 2017	